

The `tugboat` package*

The *TUGboat* team

2026-01-14

Contents

1 Document preambles	2
2 Introduction	2
2.1 Summary of control sequences	2
3 L^AT_EX 2_ε TUGboat class file	6
3.1 Setup and options	6
3.2 Resetting at start of paper	10
3.3 Helpful shorthands (common code with Plain styles)	11
3.4 Abbreviations and logos	12
3.5 General typesetting rules	18
3.6 Utility registers and definitions	18
3.7 Ragged right and friends	20
3.8 Assorted user-level markup	21
3.9 Reviews	26
3.10 Dates, volume and issue numbers, etc.	26
3.11 Page dimensions, glue, penalties, etc.	30
3.12 Messing about with the L ^A T _E X logo	31
3.13 Authors, contributors, addresses, signatures	32
3.14 Article title	38
3.15 Section titles	40
3.16 Section headings	43
3.17 Appendices	47
3.18 References	47
3.19 Title references	48
3.20 Float captions	49
3.21 Size changing commands	51
3.22 Lists and other text inclusions	51
3.23 Some fun with <code>verbatim</code>	52
3.24 Bibliography	54
3.25 Registration marks	58
3.26 Running headers and footers	58
3.27 Output routine	61
3.28 Font-related definitions and machinery	61

*This file has version number v2.36, last revised 2026-01-14

3.29	Editor's notes and other footnotes	62
3.30	Initialization	63
4	L^AT_EX 2_ε proceedings class (no longer used)	64
4.1	Proceedings titles	66
4.2	Section divisions	69
5	Plain T_EX styles	71
6	The L^AT_EX 2_ε compatibility-mode style files	71

1 Document preambles

```

1 <ltugboatcls | ltugproccls | ltugcomm>\NeedsTeXFormat{LaTeX2e}[1994/12/01]
2 <*dtx>
3 \ProvidesFile                {tugboat.dtx}
4 </dtx>
5 <ltugboatcls>\ProvidesClass {ltugboat}
6 <ltugproccls>\ProvidesClass {ltugproc}
7 <ltugboatsty>\ProvidesPackage{ltugboat}
8 <ltugprocsty>\ProvidesPackage{ltugproc}
9 <ltugcomm>  \ProvidesPackage{ltugcomm}
10           [2026-01-14 v2.36
11 <ltugboatcls>                TUGboat journal class%
12 <ltugproccls>                TUG conference proceedings class%
13 <ltugboatsty | ltugprocsty>  TUG compatibility package%
14 <ltugcomm>                   TUGboat 'common macros' package%
15 <*dtx>
16                               TUG macros source file%
17 </dtx>
18                               ]

```

2 Introduction

This file contains all the macros for typesetting *TUGboat* with both plain T_EX and L^AT_EX 2_ε.

2.1 Summary of control sequences

A few of the abbreviations we define, with indications of expansion where that may not be obvious. For full definitions, see real code below (Section 3.4).

<code>\AllTeX</code>	(L ^A)T _E X
<code>\AMS</code>	American Mathematical Society
<code>\AmSTeX</code>	
<code>\aw</code>	A-W (abbreviation for Addison-Wesley)
<code>\API</code>	
<code>\AW</code>	Addison-Wesley
<code>\BibTeX</code>	
<code>\CandT</code>	Computers & Typesetting
<code>\ConTeXt</code>	ConT _E Xt

<code>\Cplusplus</code>	C++
<code>\DTD</code>	
<code>\DVD</code>	
<code>\DVI</code>	
<code>\DVIPDFMx</code>	DVIPDFM <i>x</i>
<code>\DVItοVDU</code>	DVItοVDU
<code>\ECMA</code>	
<code>\EPS</code>	
<code>\eTeX</code>	ε -T _E X
<code>\ExTeX</code>	ε_X T _E X
<code>\Ghostscript</code>	
<code>\Hawaii</code>	Hawai'i
<code>\HTML</code>	
<code>\ISBN</code>	ISBN
<code>\ISO</code>	
<code>\ISSN</code>	ISSN
<code>\JTeX</code>	
<code>\JoT</code>	The Joy of T _E X
<code>\LaTeX</code>	
<code>\LyX</code>	
<code>\macOS</code>	mac OS
<code>\MacOSX</code>	Mac OS X
<code>\MathML</code>	
<code>\Mc</code>	M with raised c
<code>\MF</code>	METAFONT
<code>\mf</code>	METAFONT
<code>\MFB</code>	The Metafontbook
<code>\MP</code>	METAPOST
<code>\mp</code>	MetaPost (in text only: still ‘ \mp ’ in math)
<code>\OMEGA</code>	Omega ‘logo’ (Ω)
<code>\OCP</code>	Omega compiled process
<code>\OOXML</code>	
<code>\OTP</code>	Omega translation process
<code>\mtex</code>	multilingual T _E X
<code>\NTS</code>	New Typesetting System
<code>\pcMF</code>	pcMF
<code>\PCTeX</code>	
<code>\pcTeX</code>	
<code>\Pas</code>	Pascal
<code>\PiCTeX</code>	
<code>\plain</code>	plain (in typewriter font)
<code>\POBox</code>	P. O. Box
<code>\PS</code>	PostScript (with hyphenation)
<code>\SC</code>	Steering Committee
<code>\SGML</code>	SGML
<code>\SliTeX</code>	
<code>\slMF</code>	Metafont, slanted: deprecated: use <code>\textsl</code> instead
<code>\stTeX</code>	T _E X for the Atari ST
<code>\SVG</code>	

<code>\TANGLE</code>	
<code>\TB</code>	The \TeX book
<code>\TeX</code>	(Although nearly every package defines this, most, including plain, are missing the spacefactor adjustment)
<code>\TeXhax</code>	
<code>\TeXMaG</code>	(defunct)
<code>\TeXtures</code>	
<code>\TeXXeT</code>	
<code>\Thanh</code>	
<code>\TFM</code>	TFM
<code>\TUB</code>	<i>TUGboat</i>
<code>\TUG</code>	\TeX Users Group
<code>\UNIX</code>	
<code>\VAX</code>	
<code>\VnTeX</code>	
<code>\VorTeX</code>	
<code>\XeT</code>	
<code>\XeTeX</code>	reflected and lowered first ‘E’
<code>\XeLaTeX</code>	with extra space before ‘L’
<code>\XML</code>	
<code>\WEB</code>	
<code>\WEAVE</code>	
<code>\WYSIWYG</code>	

Macros for things that are slightly more significant.

<code>\NoBlackBoxes</code>	turns off marginal rules marking overfull boxes
<code>\BlackBoxes</code>	turns them back on
<code>\newline</code>	horizontal glue plus a break
<code>\ifundefined#1</code>	checks argument with <code>\csname</code> against <code>\relax</code>
<code>\topsmash</code>	smashes above baseline (from AMSTeX)
<code>\botsmash</code>	smashes below baseline (from AMSTeX)
<code>\smash</code>	smashes both (from plain)
<code>\ulap</code>	lap upwards
<code>\dlap</code>	lap downwards
<code>\xlap</code>	reference point at center horizontally; 0 width
<code>\ylap</code>	reference point at center vertically; 0 height, depth
<code>\zlap</code>	combination <code>\xlap</code> and <code>\ylap</code>
<code>\basezero</code>	to avoid insertion of baselineskip and lineskip glue
<code>\nullhrule</code>	empty <code>\hrule</code>
<code>\nullvrule</code>	empty <code>\vrule</code>
<code>\makestrut[#1;#2]</code>	ad hoc struts; #1=height, #2=depth
<code>\today</code>	today’s date
<code>\SetTime</code>	converts <code>\time</code> to hours, minutes
<code>\now</code>	displays time in hours and minutes
<code>\Now</code>	shows current date and time
<code>\ifPrelimDraft</code>	flag to indicate status as preliminary draft

<code>\rtitlex</code>	<i>TUGboat</i> volume and number info for running head
<code>\midrtitlex</code>	information for center of running head
<code>\rtitlenexttopage</code>	next to page number in running head
<code>\HorzR@gisterRule</code>	pieces of registration marks ('trimmarks')
<code>\DownShortR@gisterRule</code>	
<code>\UpShortR@gisterRule</code>	
<code>\ttopregister</code>	top registration line with 'T' in center
<code>\tbotregister</code>	bottom registration line with inverted 'T' in center
<code>\topregister</code>	register actually used
<code>\botregister</code>	
<code>\raggedskip</code>	parameters used for ragged settings
<code>\raggedstretch</code>	
<code>\raggedparfill</code>	
<code>\raggedspaces</code>	
<code>\raggedright</code>	
<code>\raggedleft</code>	
<code>\raggedcenter</code>	
<code>\normalspaces</code>	
<code>\raggedbottom</code>	
<code>\bull</code>	square bullet
<code>\cents</code>	'cents' sign
<code>\Dag</code>	superscripted dagger
<code>\careof</code>	c/o
<code>\sfrac</code>	slashed fraction (arguments optionally separated by a slash)
<code>\cs</code>	control sequence name <code>\cs{name}→\name</code>
<code>\meta</code>	meta-argument name <code>\meta{name}→{name}</code>
<code>\dash</code>	en-dash surrounded by thinspaces; only breakable AFTER
<code>\Dash</code>	em-dash, as above
<code>\hyph</code>	permit automatic hyphenation after an actual hyphen
<code>\slash</code>	'breakable' slash
<code>\nth</code>	for obtaining '1 st ', '2 nd ', '3 rd ', etc.
<code>\tubissue</code>	gets \TUB followed by volume and issue numbers
<code>\xEdNote</code>	Editor's Note:
<code>\Review:</code>	Review: (for title of book review article)
<code>\reviewitem</code>	begin data for item being reviewed
<code>\revauth</code>	with one argument, author(s) of item being reviewed
<code>\revtitle</code>	with one argument, title of ...
<code>\revpubinfo</code>	with one argument, other info pertaining to ...
<code>\endreviewitem</code>	end data for item being reviewed
<code>\titleref</code>	one argument, format title as straight text (slanted, frenchspacing)

<code>\Input</code>	<code>\input</code> with some other bookkeeping for case where multiple articles are put together
<code>\TBremark</code>	reminder to <i>TUGboat</i> editorial staff
<code>\TBEenableRemarks</code>	enable <code>\TBremarks</code> (normally suppressed)
<code>\pagexref</code>	used to write out page numbers to screen and external files
<code>\pagexrefON</code>	
<code>\pagexrefOFF</code>	
<code>\xrefto</code>	used for symbolic cross-reference to other pages in <i>TUGboat</i>
<code>\xreftoON</code>	
<code>\xreftoOFF</code>	
<code>\TBdriver</code>	marks code which only takes effect when articles are run together in a driver file
<code>\signaturemark</code>	items for signatures
<code>\signaturewidth</code>	

3 L^AT_EX 2_ε TUGboat class file

3.1 Setup and options

Occasionally we need to do different things when running under traditional (pdf)latex or a native Unicode engine. Since we don't need any fancier distinctions, instead of reading the `iftex` or another package, do the test directly.

```

19 <*common>
20 \newif\ifTBunicodeengine
21 \ifx\Umathchardef\@thisisundefined % not (xetex|luatex)
22   \TBunicodeenginefalse
23 \else
24   \TBunicodeengine>true
25 \fi
26 </common>

```

Check for reloading. Hmm...Does this happen with L^AT_EX 2_ε classes? Probably, in fact, as well that it doesn't, since the `\tugstyinit` referenced here doesn't exist; however, it's possible that we might need a similar mechanism in the future, so we retain its skeleton, without fleshing out the `\tugstyinit` bones.

```

27 <*tugboatcls>
28 \csname tugstyloaded@\endcsname
29 \def\tugstyloaded@{\tugstyinit\endinput}

```

Acquire a name for this class if we don't already have one (by virtue of having been loaded by `tugproc.cls`). This name will be used in error messages and the like.

```

30 \providecommand{\@tugclass}{1tugboat}

```

Errors/warnings/information messages — if we're using L^AT_EX 2_ε we can use the `\Class*` commands. `\tbdebug` is different from all the others, intended for temporary debugging messages (hence the all-lowercase name); they're started with `***` at the beginning of a line to make them stand out, and be parsable, e.g. by `texfot(1)`.

```

31 \def\TBError{\ClassError{\@tugclass}}
32 \def\TBWarning{\ClassWarning{\@tugclass}}

```

```

33 \def\TBWarningNL{\ClassWarningNoLine{\@tugclass}}
34 \def\TBInfo{\ClassInfo{\@tugclass}}
35 \def\tbdebug#1{\message{^^J*** #1}}

```

Unfortunately, L^AT_EX's `\loggingall` does not turn off `tracingonline`. And microtype outputs useless verbose expansions to the terminal after `\loggingall`. So make our own:

```

36 \def\tbloggingall{\loggingall \tracingonline=0 }
    Class options: draft vs. preprint vs. final.
37 \DeclareOption{draft}{% [draft], the default
38 % If the user loads hyperref, avoid passing on the global draft option
39 % (which would remove all links in the pdf).
40 \PassOptionsToPackage{final}{hyperref}
41 %
42 \AtEndOfClass{%
43   \setcounter{page}{901}%
44   \BlackBoxes
45   \def\MakeRegistrationMarks{}%
46   \PrelimDrafttrue
47 }%
48 }
49
50 \newif\ifpreprint
51 \def\preprint{\preprinttrue} % [preprint], hardly used
52 \DeclareOption{preprint}{%
53   \preprinttrue
54 }
55
56 \newif\iftubfinaloption % [final], manually inserted by us for processing
57 \DeclareOption{final}{%
58   \tubfinaloptiontrue
59   \AtEndOfClass{%
60     % Insert draft date into the header even with [final], if we are not
61     % doing a production run. (|tugboat.dates| sets up page numbers
62     % above 900 in such pseudo-draft mode.) We use [final] in the first
63     % place for this case because draft vs. final can change page
64     % layout, wrt registration marks, etc. (Not good, but too painful to
65     % change at this late date.)
66     \ifnum\value{page}>900 \PrelimDrafttrue \else \PrelimDraftfalse \fi
67     \@tubrunningfull
68   }%
69 }

```

We want to use `hyperref`'s `\texorpdfstring`, e.g., in the `draft` option above. If `hyperref` is not loaded, define our own trivial fallback to expand to the T_EX (first) argument.

Similarly, disable and more if we have `hyperref`, so section titles using them don't cause useless warnings.

```

70 \AtBeginDocument{%
71   \ifx\undefined\texorpdfstring
72     \DeclareRobustCommand{\texorpdfstring}[2]{#1}%
73   \fi
74   %

```

```

75 \ifx\undefined\pdfstringdefDisableCommands\else
76   \pdfstringdefDisableCommands{%
77     \let\acro\relax
78     \let\origDash=\Dash \def\Dash{\texorpdfstring{\origDash}{--}}%
79     % lots more could/should be added.
80   }%
81 \fi
82 }

```

TUGboat uses only 10pt for the main text.

```

83 \DeclareOption{11pt}{%
84   \TBWarning{The \@tugclass\space class only supports 10pt fonts:
85     \MessageBreak option \CurrentOption\space ignored}%
86 }
87 \DeclareOption{12pt}{\csname ds@11pt\endcsname}

```

Similarly, ignore one/two-side options.

```

88 \DeclareOption{oneside}{\TBWarning{Option \CurrentOption\space ignored}}
89 \DeclareOption{twoside}{\ds@oneside}

```

There are these people who seem to think `tugproc` is an option rather than a class... (Note that it's already been filtered out if we were calling from `ltugproc`.)

```

90 \DeclareOption{tugproc}{%
91   \TBWarning{Option \CurrentOption\space ignored: use class ltugproc
92     instead of \@tugclass}%
93 }

```

Option `rawcite` (the default) specifies the default citation mechanism (as built-in to \LaTeX); option `harvardcite` specifies the author-date citation mechanism defined in section 3.24 below.

```

94 \DeclareOption{rawcite}{\let\if@Harvardcite\iffalse}
95 \DeclareOption{harvardcite}{\let\if@Harvardcite\iftrue}

```

Option `extralabel` (the default) specifies that the publication years of two successive references with otherwise identical labels will be tagged with distinguishing letters; option `noextralabel` causes those letters to be suppressed. Note that (a) no two references will in any case have the same labels in the default (plain) `rawcite` setup, and that (b) the distinguishing letters appear in the labels themselves; the reader can work out the correspondence one with the other...

```

96 \DeclareOption{extralabel}{\let\UseExtraLabel\@firstofone}
97 \DeclareOption{noextralabel}{\let\UseExtraLabel\@gobble}

```

The section-numbering style, so that we can allow the same heading layout as in the plain macros.

```

98 \DeclareOption{numbersec}{\let\if@numbersec\iftrue}
99 \DeclareOption{nonumber}{\let\if@numbersec\iffalse}

```

Minimal running headers/footers contain just the *TUGboat* volume/issue identification and page numbers. ‘`runningfull`’ is the default, and includes title and author. ‘`runningoff`’ makes both headers and footers empty.

```

100 \DeclareOption{runningoff}{\AtEndOfClass{\@tubrunningoff}}
101 \DeclareOption{runningminimal}{\AtEndOfClass{\@tubrunningminimal}}
102 \DeclareOption{runningfull}{\AtEndOfClass{\@tubrunningfull}}

```

Usually we want to print the doi if [final], else not. But sometimes we want to omit it even if [final], namely when we're posting a review or other item early.

```
103 \newif\iftubomitdoioption
104 \DeclareOption{omitdoi}{%
105   \tubomitdoioptiontrue
106 }
```

`\iftubtwocolumn` Occasionally (tb107jackowski, and past conference preprints), we need the option `onecolumn`. For alternative approaches to one-column articles, see tb92hagen-euler and tb78milo.

```
107 \newif\iftubtwocolumn \@tubtwocolumntrue
108 \DeclareOption{onecolumn}{\@tubtwocolumnfalse}
```

`\ifsecondcolstart` Occasionally, we need to start an article in the second column of a page, due to splicing with a previous article. Let's try declaring that. Then, before `\maketitle`, we'll force the move to the second column.

And sometimes we need to add space at the top of that second column (e.g., tb136lettre); there's no way to intervene in the article source, so define a hook `\tubsecondcolstartextra`.

```
109 \newif\iftubsecondcolstart
110 \DeclareOption{secondcolstart}{\tubsecondcolstarttrue}
111 \let\tubsecondcolstartextra\relax
```

Any other options, we pass on to `article.cls` before we load it:

```
112 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
```

Request default options (draft mode, standard citation, numbered sections, etc.), process all options, and then get the base document class on top of which we reside, namely `article`. Always call `article` with the `twoside` option, since we want the ability to have odd/even headers/footers.

```
113 \ExecuteOptions{draft,extralabel,numbersec,rawcite,runningminimal}
114 \ProcessOptions
115 \LoadClass[twoside]{article}
```

Various fonts used throughout. Some effort has been made to suppress these things with explicit sizes in the macro name (`\tensl` is an example below), but keeping in step with the documentation is one thing that restricts such a move.

```
116 \def\sectitlefont{\fontfamily\sfdefault\fontseries{bx}\fontshape{n}%
117   \fontsize\@xvipt\stbaselineskip\selectfont}
118 \def\tensl{\fontseries{m}\fontshape{sl}\fontsize\@xpt\@xipt
119   \selectfont}
```

This font selection command is used *only* for the 'Editor's Note' introduction to notes; sadly it makes explicit reference to CMR, and Barbara Beeton has agreed that the reference may be constructed to use the current family such that, if no upright italic is defined, ordinary italics are used. A project for later...

```
120 \ifTBunicodeengine
121   % there is no "LM unslanted" in OpenType, so use the standard cmu
122   % scaled for the current text size. Not worth more effort.
123   \def\EdNoteFont{\font\ednotefont = cmu10 at 1em }
124 \else % traditional engine:
```

```

125 \def\EdNoteFont{\fontfamily{cmr}\fontseries{m}\fontshape{ui}\selectfont}
126 \fi
127 </ltugboatcls>

```

If Ulrik Vieth's `mflogo.sty` is around, we'll use it. Otherwise (pro tem, at least) we'll warn the user and define the absolute minimum of machinery that *TUGboat* requires (that which was used prior to the invention of L^AT_EX 2_ε).

```

128 <*common>
129 \IfFileExists{mflogo.sty}%
130   {\RequirePackage{mflogo}}%
131 <!!tugcomm> {\TBWarning
132 <tugcomm>   {\PackageWarning{ltugcomm}
133     {Package mflogo.sty not available --\MessageBreak
134       Proceeding to emulate mflogo.sty}
135   \DeclareRobustCommand{\logofamily}{%
136     \not@math@alphabet\logofamily\relax
137     \fontencoding{U}\fontfamily{logo}\selectfont}
138   \DeclareTextFontCommand{\textlogo}{\logofamily}
139   \def\MF{\textlogo{META}\-\textlogo{FONT}\@}
140   \def\MP{\textlogo{META}\-\textlogo{POST}\@}
141   \DeclareFontFamily{U}{logo}{}
142   \DeclareFontShape{U}{logo}{m}{n}{%
143     <8><9>gen*logo%
144     <10><10.95><12><14.4><17.28><20.74><24.88>logo10%
145   }{}
146   \DeclareFontShape{U}{logo}{m}{sl}{%
147     <8><9>gen*logosl%
148     <10><10.95><12><14.4><17.28><20.74><24.88>logosl10%
149   }{}
150   \DeclareFontShape{U}{logo}{m}{it}{%
151     <->ssub*logo/m/sl%
152   }{}%
153 }

```

3.2 Resetting at start of paper

`\ResetCommands` We store a set of commands that should be executed at the start of each paper, `\AddToResetCommands` before any paper-specific customisation. These commands (stored in the token register `\ResetCommands`) include things such as resetting section and footnote numbers, re-establishing default settings of typesetting parameters, and so on. The user (or more typically, editor) may execute the commands by using the command `\StartNewPaper`. Things I've not yet thought of may be added to the list of commands, by

```

154 \newtoks\ResetCommands
155 \ResetCommands{%
156   \setcounter{part}{0}%
157   \setcounter{section}{0}%
158   \setcounter{footnote}{0}%
159   \authornumber\z@
160 }
161 \newcommand{\AddToResetCommands}[1]{%
162   \AddToResetCommands\expandafter{\AddToResetCommands#1}%
163 }

```

3.3 Helpful shorthands (common code with Plain styles)

`\makeescape`, ..., `\makecomment` allow users to change the category code of a single character a little more easily. These require that the character be addressed as a control sequence: e.g., `\makeescape\/` will make `'/'` an escape character.

```
164 <!!latex>
165 \def\makeescape#1{\catcode'#1=0 }
166 \def\makebgroup#1{\catcode'#1=1 }
167 \def\makeegroup#1{\catcode'#1=2 }
168 \def\makemath #1{\catcode'#1=3 }
169 </!!latex>
170 <*latex>
171 \def\makeescape#1{\catcode'#1=\z@}
172 \def\makebgroup#1{\catcode'#1=\@ne}
173 \def\makeegroup#1{\catcode'#1=\tw@}
174 \def\makemath #1{\catcode'#1=\thr@@}
175 </latex>
176 \def\makealign #1{\catcode'#1=4 }
177 \def\makeeol #1{\catcode'#1=5 }
178 \def\makeparm #1{\catcode'#1=6 }
179 \def\makesup #1{\catcode'#1=7 }
180 \def\makesub #1{\catcode'#1=8 }
181 \def\makeignore#1{\catcode'#1=9 }
182 \def\makespace #1{\catcode'#1=10 }
183 \def\makeletter#1{\catcode'#1=11 }
184 \chardef\other=12
185 \let\makeother\@makeother
186 \def\makeactive#1{\catcode'#1=13 }
187 \def\makecomment#1{\catcode'#1=14 }
```

`\savecat#1` and `\restorecat#1` will save and restore the category of a given character. These are useful in cases where one doesn't wish to localize the settings and therefore be required to globally define or set things.

```
188 \def\savecat#1{%
189   \expandafter\xdef\csname\string#1savedcat\endcsname{\the\catcode'#1}}
190 \def\restorecat#1{\catcode'#1=\csname\string#1savedcat\endcsname}
191 <!!latex>\savecat\@
192 <!!latex>\makeletter\@
```

`\SaveCS#1` and `\RestoreCS#1` save and restore 'meanings' of control sequences. Again this is useful in cases where one doesn't want to localize or where global definitions clobber a control sequence which is needed later with its 'old' definition.

```
193 \def\SaveCS#1{\expandafter\let\csname saved@@#1\expandafter\endcsname
194   \csname#1\endcsname}
195 \def\RestoreCS#1{\expandafter\let\csname#1\expandafter\endcsname
196   \csname saved@@#1\endcsname}
```

To distinguish between macro files loaded

```
197 \def\plaintubstyle{plain}
198 \def\largetubstyle{latex}
```

Control sequences that were first defined in L^AT_EX 2_ε of 1995/06/01 (or later), but which we merrily use. Only define if necessary:

```

199 \providecommand\hb@xt@\hbox to
200 \providecommand\textsuperscript[1]{\ensuremath{\m@th
201             ^{\mbox{\fontsize\sf@size\z@
202             \selectfont #1}}}}

```

(Note that that definition of `\textsuperscript` isn't robust, but probably doesn't need to be. . . What's more, it doesn't appear in the mythical 2.09 version of the package.)

We end up wanting this fairly often, and L^AT_EX removed `\line`.

```

203 \def\tubline{\hbox to \hsize}

```

3.4 Abbreviations and logos

Font used for the METAFONT logo, etc.

```

204 \DeclareRobustCommand{\AllTeX}{%
205   \texorpdfstring{(\La\kern-.075em)\kern-.05emTeX}{(La)TeX}}
206 \def\AMS{American Mathematical Society}
207 \def\Ams{\mathcal{A}\kern-.1667em\lower.5ex\hbox
208   {\mathcal{M}}\kern-.125em\mathcal{S}}
209 \def\AmSLaTeX{\AmS-\LaTeX}
210 \def\AmSTeX{\AmS-\TeX}
211 \def\ANSI{\acro{ANSI}}
212 \def\API{\acro{API}}
213 \def\ASCII{\acro{ASCII}}
214 \def\aw{\acro{A\kern.04em\raise.115ex\hbox{-}W}}
215 \def\AW{Addison\kern.1em-\penalty\z@\hskip\z@skip Wesley}
216 %
217 % make \BibTeX work in slanted contexts too; it's common in titles, and
218 % especially burdensome to hack in .bib files.
219 \def\Bib{%
220   \ifdim \fontdimen1\font>0pt
221     B{\SMC\SMC IB}%
222   \else
223     B\textsc{ib}% LaTeX has more kerns, but they are too much to our eyes
224   \fi
225 }
226 \def\BibLaTeX{\texorpdfstring{\Bib-\kern.02em \LaTeX}{BibLaTeX}}
227 \def\BibTeX{\texorpdfstring{\Bib-\kern-.04em \TeX}{BibTeX}}
228 % no good way to determine bold font, and we want to lose the kern, too:
229 % (we \let BibTeX to this in maketitle)
230 \def\bfBib{B{\SMC\SMC IB}}
231 \def\bfBibTeX{\texorpdfstring{\bfBib\TeX}{BibTeX}}
232 \def\bfBibLaTeX{\texorpdfstring{\bfBib\LaTeX}{BibLaTeX}}
233 %
234 \def\BSD{\acro{BSD}}
235 \def\CandT{\textsl{Computers~\& Typesetting}}
236 % must not define \CJK, because the CJK package does.

```

We place our `\kern` after `\-` so that it disappears if the hyphenation is taken:

```

237 \def\ConTeXt{\texorpdfstring{C\kern-.0333em-\kern-.0667em\TeX\kern-.0333em}}
238   {ConTeXt}}
239 \def\CMkIV{\ConTeXt\ \MkIV}
240 \def\Cplusplus{C\plusplus}
241 %

```

```

242 % Turns out this original TUB definition has different output under
243 % pdftex and lua/xetex, because, ultimately, the axis in the OTF math
244 % cm fonts (newcm, latinmodern-math) fonts is at 57 units instead of 70
245 % units. Why Jacko did this is unknown, but can't be changed now.
246 %original TUGboat: \def\plusplus{\raisebox{.7ex}{$_{++}$}}
247 %
248 % We can't avoid OTF math in general. So we change the definition not to
249 % use math. The results are the same within a couple of decimal places
250 % (didn't seem to matter to make it exact), and it's simpler besides.
251 \def\plusplus{\raise .351ex \hbox{\scriptsize ++}}
252 %
253 % consider rm vs. bold + tb139may-automata.ltx
254 \def\CPU{\acro{CPU}}
255 \def\CSczabbr{\ensuremath{\cal C}\kern-.1667em\lower.5ex\hbox{\cal S}}
256 \def\CSS{\acro{CSS}}
257 \def\CSTUG{\CSczabbr\kern.05em\acro{TUG}}
258 \def\CSV{\acro{CSV}}
259 \def\CTAN{\acro{CTAN}}
260 \def\DTD{\acro{DTD}}
261 \def\DTK{\acro{DTK}}
262 \def\DVD{\acro{DVD}}
263 \def\DVI{\acro{DVI}}
264 \def\DVIPDFMx{\acro{DVIPDFM}$x$}
265 \def\DVItOVDU{DVItO\kern-.12em VDU}
266 \def\ECMA{\acro{ECMA}}
267 \def\EPS{\acro{EPS}}
268 % no line break at this hyphen please, and try to get a bold \varepsilon.
269 \def\TUBdefaultTeX{\ensuremath{\varepsilon}\mbox{-}\kern-.125em\TeX}%
270 \DeclareRobustCommand{\eTeX}{%
271   \ifx\f@series\bfseries@rm
272     \ifx\boldsymbol\undefined % \boldsymbol is from amsmath; also support bm?
273       \TBWarning{bold varepsilon for \string\TeX\space not available; load amsmath}%
274       \TUBdefaultTeX
275     \else
276       \ensuremath{\boldsymbol{\varepsilon}}\mbox{-}\kern-.125em\TeX
277     \fi
278   \else
279     \TUBdefaultTeX
280   \fi
281 }
282 \DeclareRobustCommand{\ExTeX}{%
283   \ensuremath{\textstyle\varepsilon_{\kern-0.15em\cal{X}}}\kern-.2em\TeX}
284 \def\FAQ{\acro{FAQ}}
285 \def\FTP{\acro{FTP}}
286 \def\Ghostscript{Ghost\script}
287 \def\GNU{\acro{GNU}}
288 \def\GUI{\acro{GUI}}
289 \DeclareRobustCommand{\HarfBuzz}{Harf\discretionary{-}{-}{\kern.077em}Buzz}
290 \def\Hawaii{Hawai'i}
291 \def\HTML{\acro{HTML}}
292 \def\HTTP{\acro{HTTP}}
293 \def\HTTPS{\acro{HTTPS}}
294 \def\iOS{i\acro{OS}}
295 \def\IDE{\acro{IDE}}

```

```

296 \def\IEEE{\acro{IEEE}}
297 \def\ISBN{\acro{ISBN}}
298 \def\ISO{\acro{ISO}}
299 \def\ISSN{\acro{ISSN}}
300 \def\JPEG{\acro{JPEG}}
301 \def\JTeX{\leavevmode\hbox{\lower.5ex\hbox{J}\kern-.18em\TeX}}
302 \def\JoT{\textsl{The Joy of \TeX}}
303 \DeclareRobustCommand{\KOMAScript}{\textsf{K\kern.05em O\kern.05em%
304     M\kern.05em A\kern.1em\hyph\kern.1em Script}}
305 \def\LAMSTeX{L\raise.42ex\hbox{\kern-.3em
306     $\m@th$\fontsize\sf@size\z@\selectfont
307     $\m@th\mathcal{A}$}%
308     \kern-.2em\lower.376ex\hbox{$\m@th\mathcal{M}$}\kern-.125em
309     {$\m@th\mathcal{S}$}-\TeX}
310 % This code
311 % is hacked from its definition of \cs{LaTeX}; it allows slants (for
312 % example) to propagate into the raised (small) ‘A’:
313 % \begin{macrocode}
314 \DeclareRobustCommand{\La}%
315     {L\kern-.36em
316     {\setbox0\hbox{T}%
317     \vbox to\ht0{\hbox{$\m@th$%
318         \csname S@\f@size\endcsname
319         \fontsize\sf@size\z@
320         \math@fontsfalse\selectfont
321         A}%
322         \vss}%
323     }}

```

We started with the intention that we wouldn’t redefine `\LaTeX` when we’re running under it, so as not to trample on an existing definition. However, this proves less than satisfactory; a single logo may be OK for the run of documents, but for *TUGboat*, we find that something noticeably better is necessary; see section 3.12.

```

324 <!!latex> \def\LaTeX{L\kern-.15em\TeX}
325 \def\LMTX{\acro{LMTX}}
326 \def\LuaHBTeX{Lua\acro{HB}\-\TeX}%
327 \def\LuaHBLaTeX{Lua\acro{HB}\-\LaTeX}%
328 \def\LuaLaTeX{Lua\-\LaTeX}% dtk-logos defines it and people like to use it
329 \def\LuaTeX{Lua\-\TeX}% ditto
330 \def\luatex{\LuaTeX}% ditto
331 \def\LyX{L\kern-.1667em\lower.25em\hbox{Y}\kern-.125emX}
332 \def\macOS{mac\acro{OS}}
333 \def\MacOSX{Mac\, \acro{OS\,X}}
334 \def\MathML{Math\acro{ML}}
335 \def\Mc{\setbox\TestBox=\hbox{M}M\vbox
336     to\ht\TestBox{\hbox{c}\vfil}} % for Robert McGaffey

```

If we’re running under $\text{\LaTeX} 2_{\epsilon}$, we use Ulrik Vieth’s `mflogo.sty` if it’s present. Otherwise, we’re using a short extract of Vieth’s stuff. Either way, we don’t need to specify `\MF` or `\MP`.

```

337 \def\mf{\textsc{Metafont}}
338 \def\MFB{\textsl{The \MF\kern.1em\-book}}
339 \def\MkIV{Mk\acro{IV}}

```

```

340 \let\TB@@mp\mp
341 \DeclareRobustCommand{\mp}{\ifmode\TB@@mp\else MetaPost\fi}
342 \def\mtex{T\kern-.1667em\lower.424ex\hbox{\^E}\kern-.125emX\@}
343 %
344 % In order that the \cs{OMEGA} command will switch to using the TS1
345 % variant of the capital Omega character if \texttt{textcomp.sty} is
346 % loaded, we define it in terms of the \cs{textohm} command. Note
347 % that this requires us to interpose a level of indirection, rather
348 % than to use \cs{let}\dots
349 % Revised definition of \cs{NTS} based on that used by Phil Taylor.
350 %
351 % \begin{macrocode}
352 \DeclareRobustCommand{\NTG}{\acro{NTG}}
353 \DeclareRobustCommand{\NTS}{\ensuremath{\mathcal{N}\mkern-4mu
354 \raisebox{-0.5ex}{\mathcal{T}}\mkern-2mu \mathcal{S}}}
355 \DeclareTextSymbol{\textohm}{OT1}{'012}
356 \DeclareTextSymbolDefault{\textohm}{OT1}
357 \newcommand{\OMEGA}{\textohm}
358 \DeclareRobustCommand{\OCP}{\OMEGA\acro{CP}}
359 \DeclareRobustCommand{\OOXML}{\acro{OOXML}}
360 \DeclareRobustCommand{\OTF}{\acro{OTF}}
361 \DeclareRobustCommand{\OTP}{\OMEGA\acro{TP}}
362 \DeclareRobustCommand{\OpTeX}{\texorpdfstring{Op\kern-.05em\TeX}{OpTeX}}

363 \def\Pas{Pascal}
364 \def\pcMF{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}MF\@}
365 \def\PCTeX{PC\thinspace\TeX}
366 \def\pcTeX{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}\TeX}
367 \def\pdfLaTeX{pdf\/\-\LaTeX}% dtk-logos
368 \def\pdflatex{\pdfLaTeX}
369 \def\pdfTeX{pdf\/\-\TeX}% dtk-logos
370 \def\pdftex{\pdfTeX}
371 \def\PDF{\acro{PDF}}
372 \def\PDFUA{\acro{PDF/UA}}
373 \def\PGF{\acro{PGF}}
374 \def\PHP{\acro{PHP}}
375 \def\PiC{P\kern-.12em\lower.5ex\hbox{I}\kern-.075emC\@}
376 \def\PiCTeX{\PiC\kern-.11em\TeX}
377 \def\plain{\texttt{plain}}
378 \def\PNG{\acro{PNG}}
379 \def\POBox{P.\thinspace 0.\~Box }
380 \def\PS{{Post}\-Script}}
381 \def\PS Tricks{\acro{PST}ricks}
382 \def\RIT{\acro{RIT}}
383 \def\RTF{\acro{RTF}}
384 \def\SC{Steering Committee}
385 \def\SGML{\acro{SGML}}
386 \def\SliTeX{\textrm{S\kern-.06em\textsc{l}\kern-.035emi}%
387 \kern-.06em\TeX}}
388 \def\s1MF{\textsl{MF}} % should never be used
389 \def\SQL{\acro{SQL}}
390 \def\stTeX{\textsc{st}\kern-0.13em\TeX}
391 \def\STIX{\acro{STIX}}
392 \def\SVG{\acro{SVG}}
393 \def\TANGLE{\texttt{TANGLE}\@}

```

```

394 \def\TB{\textsl{The \TeX\-book}}
395 \def\TIFF{\acro{TIFF}}
396 \def\TP{\textsl{\TeX:\ The Program}}
397 \DeclareRobustCommand{\TeX}{T\kern-.1667em\lower.424ex\hbox{E}\kern-.125emX\@}
398 \def\TeXhax{\TeX hax}
399 \def\TeXMaG{\TeX M\kern-.1667em\lower.5ex\hbox{A}%
400   \kern-.2267emG\@}
401 \def\TeXtures{\textit{Textures}}
402 \let\Textures=\TeXtures
403 \def\TeXworks{\TeX\kern-.07em works}
404 \def\TeXXeT{\TeX-{}-\XeT}
405 \def\TFM{\acro{TFM}}
406 \ifTBUnicodeengine
407   \AtBeginDocument{% in case a different font is loaded
408     % \iffontchar is from e-TeX; safe to use under Unicode engines.
409     \iffontchar\font"1EBF
410       \def\TBecircacute{\char"1EBF }%
411     \else
412       \def\TBecircacute{\^e\llap{\raise 0.5ex\hbox{\' }}}}%
413     \fi
414     \def\Thanh{H\'an\~Th\TBecircacute\~Th\'anh}%
415   }%
416 \else % non-Unicode engine, use our traditional definition.
417   \def\Thanh{H\'an\~Th\^e\llap{\raise 0.5ex\hbox{\' }}}\~Th\'anh}
418   % We could also go the other direction, and always use the Unicode
419   % character, after:
420   % \ifdefined\DeclareUnicodeCharacter
421   %   \DeclareUnicodeCharacter{1EBF}{\^e\llap{\raise 0.5ex\hbox{\' }}}}%
422   % \fi
423   % but let's make the smaller change.
424 \fi
425 \def\TikZ{Ti\/{\em k}Z}
426 \def\TTN{\textsl{TTN}\@}
427 \def\TTN{\textsl{\TeX} and TUG News}}
428 \def\TUB{\texttub{TUGboat}}\def\texttub{\textsl} % redefined in some situations
429 \def\TUG{\TeX\ \UG}
430 \def\tug{\acro{TUG}}
431 \def\UG{Users Group}
432 \def\UNIX{\acro{UNIX}}
433 % Don't define \UTF, since other packages use it for Unicode character access.
434 % On the other hand, we want a macro for UTF-8 that doesn't break at a
435 % following -, as in \tbUTF-8.
436 \def\tbUTF{\acro{UTF}\futurelet\@nextchar\@tbUTFcheck}
437 \def\@tbUTFcheck{\ifx\@nextchar-%
438   \mbox{-}\let\next=\tbgobbedash
439 \else
440   \let\next=\empty
441 \fi\next}
442 \def\tbgobbedash{-}
443 \def\VAX{V\kern-.12em A\kern-.1em X\@}
444 \def\VnTeX{V\kern-.03em n\kern-.02em \TeX}
445 \def\VorTeX{V\kern-2.7\p@\lower.5ex\hbox{0\kern-1.4\p@ R}\kern-2.6\p@\TeX}
446 \def\XeT{X\kern-.125em\lower.424ex\hbox{E}\kern-.1667emT\@}
447 \def\XML{\acro{XML}}

```

```

448 \def\XMP{\acro{XMP}}
449 \def\WEB{\texorpdfstring{\texttt{WEB}}{\@}{WEB}}
450 \def\WEAVE{\texttt{WEAVE}\@}
451 \def\WYSIWYG{\acro{WYSIWYG}}

```

XeTeX requires reflecting the first E, hence we complain if the graphics package is not present. (For plain documents, this can be loaded via `miniltx` or `Eplain`.) Also, at Barbara's suggestion, if the current font is slanted, we rotate by 180 instead of reflecting so there is a better chance to look ok. (The magic values here seem more or less ok for `cmsl` and `cmti`.)

```

452 \def\tubreflect#1{%
453   \ifundefined{reflectbox}{%
454     \TBError{A graphics package must be loaded to use \string\XeTeX}
455     {Load graphicx or graphics.}%
456   }{%
457     \ifdim \fontdimen1\font>0pt
458       \raise 1.75ex \hbox{\kern.1em\rotatebox{180}{#1}}\kern-.1em
459     \else
460       \reflectbox{#1}%
461     \fi
462   }%
463 }
464 \def\tubhideheight#1{\setbox0=\hbox{#1}\ht0=0pt \dp0=0pt \box0 }
465 \def\XekernbeforeE{-.125em}
466 \def\XekernafterE{-.1667em}
467 % From Max, mail of 13sep24:
468 % hyperref is trying to expand \Xe to get a string for
469 % the embedded PDF table of contents, but \Xe is unsafe in an
470 % expansion-only context [even when defined with \DeclareRobustCommand,
471 % for reasons unknown].
472 % An easy way to fix this is to replace \DeclareRobustCommand with
473 % \NewDocumentCommand, which defines the macro as ‘‘\protected’’ instead
474 % as ‘‘\protect’’ed.
475 \NewDocumentCommand\tub@Xe{}{\leavevmode
476   \tubhideheight{\hbox{X%
477     \setbox0=\hbox{\TeX}\setbox1=\hbox{E}}%
478   \ifdim \fontdimen1\font>0pt
479     % XeTeX logo needs tinkering when slanted/italic font,
480     % so make kerns changeable
481     \def\XekernbeforeE{-.11em}%
482     \def\XekernafterE{-.16em}%
483     \dp1=-.17ex
484   \fi
485   \lower\dp0\hbox{\raise\dp1\hbox{\kern\XekernbeforeE\tubreflect{E}}}%
486   \kern\XekernafterE}}
487 % [But then,] For hyperref to be able to see the \texorpdfstring, it
488 % needs to be inside of a non-protected macro, but we still want the
489 % graphics commands to be protected, so we need to make a wrapper command:
490 \newcommand\Xe{\texorpdfstring{\tub@Xe}{Xe}}
491 \def\XeTeX{\texorpdfstring{\Xe\TeX}{XeTeX}}
492 \def\XeLaTeX{\texorpdfstring{\Xe{\kern.11em \LaTeX}}{XeLaTeX}}
493 %
494 \def\XHTML{\acro{XHTML}}
495 \def\XSL{\acro{XSL}}

```

```

496 \def\XSLF0{\acro{XSL}\raise.08ex\hbox{-}\acro{F0}}
497 \def\XSLT{\acro{XSLT}}
498 \def\YAML{\acro{YAML}}

```

3.5 General typesetting rules

```

499 \newlinechar='^^J
500 \normallineskiplimit=\p@
501 \clubpenalty=10000
502 \widowpenalty=10000
503 \def\NoParIndent{\parindent=\z@}
504 \newdimen\normalparindent
505 \normalparindent=20\p@
506 \def\NormalParIndent{\global\parindent=\normalparindent}
507 \NormalParIndent
508 \def\BlackBoxes{\overfullrule=5\p@}
509 \def\NoBlackBoxes{\overfullrule=\z@}
510 \def\newline{\hskip\z@\@plus\pagewd\break}

```

`\tubsentencespace` Occasionally, notably after citations that need to come after a sentence-ending period, we want to tell TeX that it's still at the end of a sentence. As in: `... whatever. \cite{foo}\tubsentencespace` This happens when, e.g., the reference applies to more than the final sentence. Also can be needed when `\@` cannot be used because the sentence-ending punctuation itself occurs inside a control sequence that prevents it.

```

511 \def\tubsentencespace{\spacefactor=3000}\space\ignorespaces}

```

`\tubdots` Latin Modern and many other fonts irritatingly make the Unicode ellipsis character (U+2026) a single character's width, typically more squashed together than three period characters. This just looks wrong. It is too painful to try to redefine in general, but provide the normal definition to reset in individual papers with, e.g.: `\ifx\tubdots\undefined \else \let\dots\tubdots \let\ldots\tubdots \fi`

The `plain.tex` definition does not have the small space before the first dot, but that space makes the result look better in cases like `[\tubdots]` where something other than a space comes before the ellipsis.

```

512 \def\tubdots{\ifmmode\mathellipsis\else
513   \kern\fontdimen3\font % space before first dot
514   .\kern\fontdimen3\font
515   .\kern\fontdimen3\font
516   .\kern\fontdimen3\font\fi}

```

`\allowhyphens` Hyphen control: first, we save (via `\edef`) the hyphenpenalties in `\allowhyphens`. This allows us to permit hyphens temporarily in things like `\netaddresses`, which typically occur when `\raggedright` is set, but which need to be allowed to break at their artificial discretionaries.

```

517 \edef\allowhyphens{\noexpand\hyphenpenalty\the\hyphenpenalty\relax
518   \noexpand\exhyphenpenalty\the\exhyphenpenalty\relax}
519 \def\nohyphens{\hyphenpenalty\@M\exhyphenpenalty\@M}

```

3.6 Utility registers and definitions

We define a few scratch registers (and the like) for transient use; they're all paired: an internal one (`\T@st*`) and an external one (`\Test*`).

Comment: Exercise for an idle day: find whether all these are necessary, or whether we can use the L^AT_EX temporaries for some (or all) of the \T_{st}* ones.

Comment: (bb) All these registers are used in the plain version, tugboat.sty.

```
520 \newbox\T@stBox           \newbox\TestBox
521 \newcount\T@stCount      \newcount\TestCount
522 \newdimen\T@stDimen     \newdimen\TestDimen
523 \newif\ifT@stIf         \newif\ifTestIf
```

Control sequence existence test, stolen from T_EXbook exercise 7.7 (note that this provides functionality that in some sense duplicates something within L^AT_EX).

```
524 \def\ifundefined#1{\expandafter\ifx\csname#1\endcsname\relax }
```

L^AT_EX conventions which are also useful here.

```
525 <!!latex>
526 \let\@@input\input
527 \def\iinput#1{\@@input#1 }
528 \def\@inputcheck{\if\@nextchar\bgroup
529 \expandafter\iinput\else\expandafter\@input\fi}
530 \def\input{\futurelet\@nextchar\@inputcheck}
531 </!!latex>
```

Smashes repeated from AMS-T_EX; plain T_EX implements only full \smash.

```
532 \newif\iftop@           \newif\ifbot@
533 \def\topsmash{\top@true\bot@false\smash@}
534 \def\botsmash{\top@false\bot@true\smash@}
535 \def\smash{\top@true\bot@true\smash@}
536 \def\smash@{\relax\ifmode\def\next{\mathpalette\mathsm@sh}%
537 \else\let\next\makesm@sh\fi \next }
538 \def\finsm@sh{\iftop@\ht\z@\z@\fi\ifbot@\dp\z@\z@\fi\box\z@}
```

Vertical ‘laps’; cf. \llap and \rlap

```
539 \long\def\ulap#1{\vbox to \z@\{vss#1}}
540 \long\def\dlap#1{\vbox to \z@\{#1vss}}
```

And centered horizontal and vertical ‘laps’

```
541 \def\xlap#1{\hb@xt@\z@\{hss#1\hss}}
542 \long\def\ylap#1{\vbox to \z@\{vss#1vss}}
543 \long\def\zlap#1{\ylap{xlap{#1}}}
```

Avoid unwanted vertical glue when making up pages.

```
544 \def\basezero{\baselineskip\z@skip \lineskip\z@skip}
```

Empty rules for special occasions

```
545 \def\nullhrule{\hrule \@height\z@ \@depth\z@ \@width\z@ }
546 \def\nullvrule{\vrule \@height\z@ \@depth\z@ \@width\z@ }
```

Support ad-hoc strut construction.

```
547 \def\makestrut[#1;#2]{\vrule \@height#1 \@depth#2 \@width\z@ }
```

Construct box for figure pasteup, etc.; height = #1, width = #2, rule thickness = #3

```
548 \def\drawoutlinebox[#1;#2;#3]{\T@stDimen=#3
549 \vbox to#1{\hrule \@height\T@stDimen \@depth\z@}
```

```

550          \vss\hb@xt@#2{\vrule \@width\T@stDimen
551              \hfil\makestrut[#1;#z@]}
552          \vrule \@width\T@stDimen}\vss
553          \hrule \@height\T@stDimen \@depth\z@}}

```

Today's date, to be printed on drafts. Based on T_EXbook, p.406.

```

554 <!!latex>
555 \def\today{\number\day\space \ifcase\month\or
556     Jan \or Feb \or Mar \or Apr \or May \or Jun \or
557     Jul \or Aug \or Sep \or Oct \or Nov \or Dec \fi
558     \number\year}
559 </!!latex>

```

Current time; this may be system dependent!

```

560 \newcount\hours
561 \newcount\minutes
562 \def\SetTime{\hours=\time
563     \global\divide\hours by 60
564     \minutes=\hours
565     \multiply\minutes by 60
566     \advance\minutes by-\time
567     \global\multiply\minutes by-1 }
568 \SetTime
569 \def\now{\ifnum\hours<10 0\fi\number\hours:%
570     \ifnum\minutes<10 0\fi\number\minutes}
571 \def\Now{\today\ \now}
572 \newif\ifPrelimDraft % true if ([draft] or [preprint] or pageno>900)
573 \def\midrttitle{} % center of running heads
574 \def\rtitlenexttopage{\ifPrelimDraft \textsl{\small draft: \Now}\fi}
575 %\def\rtitlenexttopage{\ifnum\value{page}>900 \textsl{\small draft: \Now}\fi}

```

Sometimes we want to refer to the pages of another article in the same issue. `tugboat.dates` makes the real definition; here we define a placeholder so it won't be undefined when we send the source back to the author.

```

576 \let\thisissuepageref\empty

```

3.7 Ragged right and friends

`\raggedskip` Plain T_EX's definition of `\raggedright` doesn't permit any stretch, and results in `\raggedstretch` too many overfull boxes. We also turn off hyphenation. This code lies somewhere between that of Plain T_EX and of L^AT_EX.

```

\raggedspaces 577 \newdimen\raggedskip \raggedskip=\z@
578 \newdimen\raggedstretch \raggedstretch=5em % ems of font set now (10pt)
579 \newskip\raggedparfill \raggedparfill=\z@\@plus 1fil
580 \def\raggedspaces{\spaceskip=.3333em \relax \xspaceskip=.5em \relax }

```

`\raggedright` Some applications may have to add stretch, in order to avoid all overfull boxes.

`\raggedleft` We define the following uses of the above skips, etc.

```

\raggedcenter 581 \def\raggedright{%
\normalspaces 582 \nohyphens \raggedspaces
583 \rightskip=\raggedskip\@plus\raggedstretch
584 \parfillskip=\raggedparfill
585 }
586 \def\raggedleft{%

```

```

587 \nohyphens \raggedspaces
588 \leftskip=\raggedskip\@plus\raggedstretch
589 \parfillskip=\z@skip
590 \let\ \centercr % else tabulararray fails,
591           % https://github.com/lvjr/tabulararray/issues/348
592 }
593 \def\raggedcenter{%
594 \nohyphens \raggedspaces
595 \leftskip=\raggedskip\@plus\raggedstretch
596 \rightskip=\leftskip
597 \parindent=\z@
598 \parfillskip=\z@skip
599 }
600 %
601 % Undo |\raggedspaces|.
602 \def\normalspaces{\spaceskip\z@skip \xspaceskip\z@skip}

```

`\tubjustifiedpar` Undo the `\raggedright` (or other such) settings, restoring normality.

```

603 \def\tubjustifiedpar{\rightskip=0pt \parfillskip=0pt plus1fil
604           \allowhyphens \normalspaces}

```

3.8 Assorted user-level markup

We provide a new definition of `~` by redefining `\` (`\DeclareRobustCommand` doesn't mind redefinition, fortunately). This is based on the version in AMS-`TeX`—the `LATeX 2ε` version (`ltspace.dtx`) has `\leavevmode` and does not do anything with the surrounding space(s). Our version messes up with the `\pfill` used in doc-generated indexes (github.com/latex3/latex2e/issues/75), but later (2018++) versions of doc should protect against our redefinition.

```

605 \let\latexnobreakspace=\nobreakspace
606 \DeclareRobustCommand{\nobreakspace}{\unskip\nobreak\ \ignorespaces}

```

Plain `TeX` defines `\newbox` as `\outer`. We solemnly preserve the following, which removes the `\outerness`; of course, we carefully exclude it from what we generate... (`\outerness` is a spawn of the devil, is it not? Barbara Beeton responded to the previous sentence “`\outerness` has its place: it avoids register buildup, hence running out of memory”. In another context, David Carlisle remarked that an error control mechanism that causes more confusing errors than it prevents is rather a poor one. This is perhaps not the place to conduct a serious debate...)

```

607 \def\boxcs#1{\box\csname#1\endcsname}
608 \def\setboxcs#1{\setbox\csname#1\endcsname}
609 \def\newboxcs#1{\expandafter\newbox\csname#1\endcsname}
610 \let\gobble@gobble
611 \def\vellipsis{%
612 \leavevmode\kern0.5em
613 \raise\p@\vbox{\baselineskip6\p@\vskip7\p@\hbox{.}\hbox{.}\hbox{.}}
614 }
615 % \bull doesn't work with tagging; requires ActualText using, e.g.,
616 % accsup, but the ActualText is ignored since it's just a rule.
617 % (Lots of our other commands also are not properly tagged.)
618 % https://github.com/latex3/tagging-project/pull/535

```

```

619 \def\bull{\vrule \@height 1ex \@width .8ex \@depth -.2ex }
620 \DeclareRobustCommand{\cents}{\textcent}
621 \def\tubcentsold{\rm\raise.2ex\rlap{\kern.05em$\scriptstyle/$}c}
622 \def\careof{\leavevmode\hbox{\raise.75ex\hbox{c}\kern-.15em
623         /\kern-.125em\smash{\lower.3ex\hbox{o}}}\ignorespaces}
624 \def\Dag{\raise .6ex\hbox{$\scriptstyle\dagger$}}
625 %
626 \DeclareRobustCommand{\sfrac}[1]{\@ifnextchar/{\@sfrac{#1}}%
627         {\@sfrac{#1}/}}
628 \def\@sfrac#1/#2{\leavevmode\kern.1em\raise.5ex
629         \hbox{$\m@th\mbox{\fontsize\sf@size\z@
630                 \selectfont#1}$}\kern-.1em
631         /\kern-.15em\lower.25ex
632         \hbox{$\m@th\mbox{\fontsize\sf@size\z@
633                 \selectfont#2}$}}
634 %
635 % don't stay bold in description items, bold italic is too weird.
636 \DeclareRobustCommand\meta[1]{%
637   \ensuremath{\langle} %
638   \ifmmode \expandafter\mbox \fi % if in math
639   {\it #1\}/}% no typewriter italics, please
640   \ensuremath{\rangle} %
641 }
642 %
643 % Use \tt rather than \texttt because italic typewriter is just too strange
644 % and upright works well enough in both italic and bold contexts.
645 % Would be nice to change catcode of _ for \LaTeX3, but we don't.
646 %
647 % By the way, it would be possible to substitute typewriter slanted for
648 % typewriter italic in general:
649 % \url{https://tex.stackexchange.com/questions/692277}.
650 % But it feels like that is too intrusive a change, even though in
651 % practice we always prefer tt slanted.
652 \DeclareRobustCommand{\cs}[1]{\texorpdfstring
653   {\tt \char'\@#1\@}%
654   {\textbackslash #1}%
655 }
656 %
657 % This command was defined much later than the others around here, so
658 % let's not conflict with any existing definitions that might be out there.
659 % Don't allow hyphenations or other line breaks.
660 \DeclareRobustCommand{\tubbraced}[1]{\texorpdfstring
661   {\mbox{\texttt{\char'\@#1\char'\@}}}%
662   {\textbraceleft #1\textbraceright}%
663 }
664 %
665 % Literal text, such as class names, package names, filenames, etc,
666 % Trying to define separate commands for each seems impossible and pointless.
667 % Usually we don't want hyphenation or any other kind of break.
668 \DeclareRobustCommand{\tbcodes}[1]{\mbox{\texttt{#1}}}
669 %
670 % On the other hand, sometimes we need to break such code fragments.
671 % If |hyperref| is loaded, we want |\nolinkurl|, else just |\url|.
672 \AtBeginDocument{%

```

```

673 \ifx\nolinkurl\undefined
674 \DeclareRobustCommand{\tbcodebreak}{\url}
675 \else
676 \DeclareRobustCommand{\tbcodebreak}{\nolinkurl}
677 \fi
678 }
679 %
680 % Not sure why we ever want this instead of LaTeX's \, (using \kern),
681 % but fine, just keeping it.
682 \DeclareRobustCommand{\thinspace}{\hskip 0.16667em\relax}
683 %
684 % Ah, urls. Nowadays, we like the visible url to not have any protocol,
685 % if it is \texttt{http://} or \texttt{https://}. But we need to include
686 % the protocol if we are making live links, since a string like
687 % \texttt{tug.org/whatever} will be taken as a local filename by
688 % browsers and PDF readers. Since we need to check for
689 % \texttt{hyperref}, make the definition \cs{AtBeginDocument}. In the
690 % end, \cs{tbsurl}\tubbraced{foo} produces \texttt{https://foo} and
691 % \cs{tbhurl}\tubbraced{foo} produces \texttt{http://foo}.
692 \AtBeginDocument{%
693 \ifx\hyper@normalise\undefined
694 \ifx\url\undefined % define our own simplistic non-hyperref \url
695 \def\url{\begingroup % might as well catch common special chars
696 \catcode'\#=12 \catcode'\$=12 \catcode'\%=12 \catcode'\^=12
697 \catcode'\&=12 \catcode'\_ =12 \catcode'\~=12
698 \finish@tub@url}
699 \def\finish@tub@url#1{\tt #1\endgroup}
700 \fi
701 \let\tburl\url % no hyperref, so just \url is fine;
702 \let\tbsurl\url % \let instead of \def so we can still
703 \let\tbhurl\url % use \def\url{\tbsurl} without infloop.
704 \else
705 % This hyperref hook-in is due to Ulrike Fischer.
706 % \url{https://github.com/latex3/hyperref/issues/125}.
707 % \tb[sh]url@ are defined next.
708 \DeclareRobustCommand*{\tburl}{\tbsurl}%
709 \DeclareRobustCommand*{\tbsurl}{\hyper@normalise\tbsurl@}%
710 \DeclareRobustCommand*{\tbhurl}{\hyper@normalise\tbhurl@}%
711 \fi
712 }
713 %
714 % Outside \AtBeginDocument, back at the top level of the dtx, we
715 % turn on expl syntax for the main definitions of \tb[sh]url. We want
716 % to auto-remove an explicit protocol in case it
717 % was given.
718 %
719 % Only the correct protocol is removed; if \verb|http://| is
720 % given to \cs{tbsurl}, it is used (and printed) as-is. This is useful
721 % so we can do \verb|\let\url\tbsurl| when printing bibliographies.
722 %
723 % Giving \verb|https://| to \cs{tbhurl}, on the other hand, generates an
724 % invalid link; in practice there's no use for that so we don't bother
725 % to check for it.
726 %

```

```

727 \ExplSyntaxOn
728 % Test whether #1 matches the leading characters of #2.
729 \cs_new:Npn \str_if_starts_with:nnTF #1#2
730 {
731   % #1 = prefix to test
732   % #2 = full string
733   %
734   % compare the first N characters (tokens) of the full string #2,
735   % where N is the length of the prefix #1,
736   % to the prefix.
737   \str_if_eq:eeTF
738     { \str_range:nnn {#2} {1} { \str_count:n {#1} } }
739     {#1}
740 }
741
742 % the main function to handle url #1.
743 \def\tbsurl@#1 % https
744 {
745   \str_set:Nn \l_tmpa_str {#1}
746 % this checks if http:// is contained anywhere within the argument url,
747 % but that is not good enough, since http:// might occur inside the url,
748 % e.g., https://web.archive.org/web/20090809184749/http://www.eco-log.de/
749 % \str_if_in:NnTF \l_tmpa_str {http://}
750 % Another fix would have been to insert a constant string "foo" before
751 % the argument and the prefix, but since the clean solution is at hand,
752 % might as well use it.
753 \str_if_starts_with:nnTF {http://} {#1}
754 {
755   \tbhurl@{#1} % if http, redirect to remove protocol
756   % this version prints the http, as we originally thought was better.
757   % \expandafter\hyper@linkurl
758   % \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}{\l_tmpa_str}
759 }
760 {
761   \str_remove_once:Nn \l_tmpa_str {https://}
762   \expandafter\hyper@linkurl
763   \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}
764   {https://\l_tmpa_str}
765 }
766 }
767 % explicit http, handle similarly but don't bother checking for https
768 \def\tbhurl@#1
769 {
770   \str_set:Nn \l_tmpa_str{#1}
771   \str_remove_once:Nn \l_tmpa_str {http://}
772   \expandafter\hyper@linkurl\expandafter{\expandafter\Hurl\expandafter
773     {\l_tmpa_str}}{http://\l_tmpa_str}
774 }
775 \ExplSyntaxOff
776 %
777 % Now let's use those macros for putting a url into a simple
778 % ragged-right footnote.
779 \def\tburlfootnote{\tbsurlfootnote}
780 \def\tbsurlfootnote#1{\unskip\footnote{\raggedright\tbsurl{#1}}}

```

```

781 \def\tbhurlfootnote#1{\unskip\footnote{\raggedright\tbhurl{#1}}}
782 %
783 % Close up space between footnote mark and punctuation ('pre-punctuation').
784 \DeclareRobustCommand{\tbppkernfoot}{\tubthinnerospace}
785
786 % Make \! work in text mode, for older LaTeX.
787 \DeclareRobustCommand{\!}{\ifmmode\mskip-\thinmuskip \else\kern-0.16667em \fi}
788 %
789 % Half a thinspace, positive and negative. Should have named these
790 % \cs{tb} instead of \cs{tub}, but not worth changing now.
791 \DeclareRobustCommand{\tubthinnerospace}
792   {\ifmmode\mskip.5\thinmuskip \else\kern0.08333em \fi}
793 \DeclareRobustCommand{\tubthinnerospaceneg}
794   {\ifmmode\mskip-.5\thinmuskip \else\kern-0.08333em \fi}
795 %
796 % Half a smallskip.
797 \DeclareRobustCommand{\tubsmallerskip}
798   {\vskip 1.5pt plus .75pt minus .75pt\relax}
799 %

```

We play a merry game with dashes, providing all conceivable options of breakability before and after.

```

800 \def\endash{--}
801 \def\emdash{\endash-}
802 \def\d@sh#1#2{\unskip#1\thinspace#2\thinspace\ignorespaces}
803 \def\dash{\d@sh\nobreak\endash}
804 \def\Dash{\d@sh\nobreak\emdash}
805 \def\ldash{\d@sh\empty{\hbox{\endash}\nobreak}}
806 \def\rdash{\d@sh\nobreak\endash}
807 \def\Ldash{\d@sh\empty{\hbox{\emdash}\nobreak}}
808 \def\Rdash{\d@sh\nobreak\emdash}

```

Hacks to permit automatic hyphenation after an actual hyphen, or after a slash.

```

809 \def\hyph{-\penalty\z@\hskip\z@skip }
810 \def\slash{/\penalty\z@\hskip\z@skip }

```

Adapted from `comp.text.tex` posting by Donald Arseneau, 26 May 93.
 \LaTeX 2 ϵ -isation added by Robin Fairbairns. Destroys both the `TestCounts`.

```

811 \def\nth#1{%
812   \def\reserved@a##1##2\@nil{\ifcat##1n%
813     0%
814     \let\reserved@b\ensuremath
815     \else##1##2%
816     \let\reserved@b\relax
817     \fi}%
818   \TestCount=\reserved@a#1\@nil\relax
819   \ifnum\TestCount <0 \multiply\TestCount by\m@ne \fi % subdue negatives
820   \T@stCount=\TestCount
821   \divide\T@stCount by 100 \multiply\T@stCount by 100
822   \advance\TestCount by-\T@stCount % n mod 100
823   \ifnum\TestCount >20 \T@stCount=\TestCount
824     \divide\T@stCount by 10 \multiply\T@stCount by 10
825     \advance\TestCount by-\T@stCount % n mod 10

```

```

826 \fi
827 \reservedb{#1}%
828 \textsuperscript{\ifcase\TestCount th% 0th
829 \or st% 1st
830 \or nd% 2nd
831 \or rd% 3rd
832 \else th% nth
833 \fi}%
834 }

```

3.9 Reviews

Format information on reviewed items for book review articles. For the L^AT_EX 2_ε version, we follow Fairbairns' maxim, and define something that can even look like a L^AT_EX macro...

```

835 \def\Review{\@ifnextchar{\@Review}{\@Review:}}
836 \def\@Review:\@ifnextchar[%
837 {\@Rev}%
838 {\@Rev[Book review]}}
839 \def\@Rev[#1]#2{{\ignorespaces#1\unskip:\enspace\ignorespaces
840 \slshape\mdseries#2}}
841 \def\reviewitem{\advspace{\BelowTitleSkip}%
842 \def\revauth##1{\def\therevauth{##1, }\ignorespaces}%
843 \def\revtitle##1{\def\therevtitle{{\slshape##1}. }\ignorespaces}%
844 \def\revpubinfo##1{\def\therevpubinfo{##1.}\ignorespaces}%
845 }
846 \def\endreviewitem{{\noindent\interlinepenalty=10000
847 \therevauth\therevtitle\therevpubinfo\endgraf}%
848 \vskip\medskipamount
849 }
850 \def\titleref#1{{\slshape\frenchspacing#1\nocorr}}
851 \let\booktitle=\titleref % older name

```

3.10 Dates, volume and issue numbers, etc.

Dates and other items which identify the volume and issue. `\issueseqno` is a sequential issue number starting from the first issue published; volume 15,4 has `\issueseqno=45`.

```
\vol 19, 1.
```

To use: `\issdate March 1998`.

```
\issueseqno=58
```

Starting with volume 23 (nominal 2002), we have `\issyear` instead of `\issdate`, because issues don't have months any more.

For production, these are set in a separate file, `tugboat.dates`, which is issue-specific.

```

852 \newcount\issueseqno \issueseqno=-1
853 \def\volx{\gdef\volx{Volume~\volno~(\volyr), No.~\issno}}
854 \def\volyr{}
855 \def\volno{}
856 \def\vol#1, #2.{%
857 \gdef\volno{#1}%
858 \gdef\issno{#2}%

```

```

859     \setbox\TestBox=\hbox{\volyr}%
860     \ifdim \wd\TestBox > .2em \v@l{x} \fi }
861 \def\issyear#1.{%
862     \gdef\issdt{#1}\gdef\volyr{#1}%
863     \gdef\bigissdt{#1}%
864     \setbox\TestBox=\hbox{\volno}%
865     \ifdim \wd\TestBox > .2em \v@l{x} \fi }
866 \def\issdate#1#2 #3.{%
867     \gdef\issdt{#1#2 #3}\gdef\volyr{#3}%
868     \gdef\bigissdt{#1{\smc\uppercase{#2}} #3}%
869     \setbox\TestBox=\hbox{\volno}%
870     \ifdim \wd\TestBox > .2em \v@l{x} \fi }
871 % The \vol command must be invoked precisely like this, including spaces.
872 % Since we are the only ones who write it, we can be strict.
873 \vol 0, 0.
874 \issdate Thermidor, 9999.

```

(The curious may like to know that *Thermidor* was one of the French revolutionary month names.)

For L^AT_EX use, define a version of the issue declaration that can take or leave the old plain syntax

```

875 <!\latex>\def\tubissue#1(#2)%
876 <*\latex>
877 \def\tubissue#1{\@ifnextchar(%)
878   {\@tubissue@b{#1}}
879   {\@tubissue@a{#1}}}}
880 \def\@tubissue@b#1(#2){\@tubissue@a{#1}{#2}}
881 \def\@tubissue@a#1#2%
882 </\latex>
883 {\TUB~#1, no.~#2}

```

TUGboat conventions include the sequential issue number in the file name. Permit this to be incorporated into file names automatically. If issue number = 11, `\Input filnam` will read `tb11filnam.tex`

```

884 \def\infil@{\jobname}
885 \def\Input #1 {\ifnum\issueseqno<0
886   \def\infil@{#1}%
887   \else
888     \def\infil@{tb\number\issueseqno#1}
889   \fi
890   \edef\jobname{\infil@}\@readFLN
891   \@@input \infil@\relax
892   \if@RMKopen
893     \immediate\closeout\@TBremarkfile\@RMKopenfalse
894   \fi
895 }

```

`\TBremarks` are things that need to be drawn to the attention of the editors; the conscientious author will include such things in the article file. By default, remarks are suppressed, but their appearance may be enabled by the `\TBenableRemarks` command, which can be included in the configuration file `ltugboat.cfg` (or `ltugproc.cfg`, if that's what we're at).

```

896 \newif\if@RMKopen      \@RMKopenfalse
897 \newwrite\@TBremarkfile

```

```

898 \def\@TBremark#1{%
899   \if@RMKopen
900   \else
901     \@RMKopentruel\immediate\openout\@TBremarkfile=\infil0.rmk
902   \fi
903   \toks@={#1}%
904   \immediate\write\@TBremarkfile{^^J\the\toks@}%
905   \immediate\write16{^^JTBremark:: \the\toks@^^J}%
906 }

```

We initialise \TBremark to ignore its argument (this used to involve a \TBremarkOFF which was cunningly defined exactly the same as \gobble)

```
907 \let\TBremark=\gobble
```

\TBenableRemarks simply involves setting \TBremark to use the functional \@TBremark defined above.

```
908 \def\TBenableRemarks{\let\TBremark\@TBremark}
```

For marking locations in articles that pertain to remarks in another file of editorial comments

```
909 \def\TUBedit#1{}
```

For using different filenames in the production process than those supplied by authors

```

910 \def\TUBfilename#1#2{\expandafter\def\csname file@@#1\endcsname{#2}}
911 \newread\@altfilenames
912 \def\@readFLN{\immediate\openin\@altfilenames=\jobname.fln
913   \ifeof\@altfilenames\let\@result\relax\else
914   \def\@result{\@input\jobname.fln }\fi
915   \immediate\closein\@altfilenames
916   \@result}
917 \@readFLN
918 \everyjob=\expandafter{\the\everyjob\@readFLN}
919 \InputIfFileExists{\jobname.fln}%
920   {\TBIInfo{Reading alternative file \jobname.fln}}
921   {}

```

The following needs to work entirely in T_EX's mouth

```

922 \def\@tubfilename#1{\expandafter\ifx\csname file@@#1\endcsname\relax
923   #1\else\csname file@@#1\endcsname\fi}
924 \def\fileinput#1{\@input\@tubfilename{#1} }

```

Write out (both to a file and to the log) the starting page number of an article, to be used for cross references and in contents. \pagexref is used for articles fully processed in the TUGboat run. \PageXref is used for 'extra' pages, where an item is submitted as camera copy, and only running heads (at most) are run.

```

925 <!!latex>
926 \def\pagexrefON#1{%
927   \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
928   \write\ppoutfile{%
929     \def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
930   }
931 \def\PageXrefON#1{%
932   \immediate\write-1{\def\expandafter

```

```

933             \noexpand\csname#1\endcsname{\number\pageno}}}%
934     \immediate\write\ppoutfile{\def\expandafter
935             \noexpand\csname#1\endcsname{\number\pageno}}}%
936 </!latex>
937 <*latex>
938 \def\pagexrefON#1{%
939     \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}}%
940     \write\ppoutfile{%
941         \def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}}%
942     }
943 \def\PageXrefON#1{%
944     \immediate\write-1{\def\expandafter
945         \noexpand\csname#1\endcsname{\number\c@page}}}%
946     \immediate\write\ppoutfile{\def\expandafter
947         \noexpand\csname#1\endcsname{\number\c@page}}}%
948 </!latex>
949 \def\pagexrefOFF#1{}
950 \let\pagexref=\pagexrefOFF
951 \def\PageXrefOFF#1{}
952 \let\PageXref=\PageXrefOFF
953 \def\xreftoON#1{%
954     \ifundefined{#1}%
955         ???\TBremark{Need cross reference for #1.}%
956     \else\csname#1\endcsname\fi}
957 \def\xreftoOFF#1{???}
958 \let\xrefto=\xreftoOFF

```

\TBdriver ‘marks code for use when articles are run together in a driver file’. Since we don’t yet have a definition of that arrangement, we don’t have a definition of \TBdriver. Its argument (which one presumes was intended as the code for this unusual state) is just gobbled.

```

959 \let\TBdriver\gobble

```

Hyphenation exceptions. We read our own full ushyphex.tex (generated from tb0hyf.tex) if it’s available. The additional exceptions are nearly all included in the file, but keep defining them anyway, since we have for many years.

But do not define any exceptions if \tubomithyphenations is defined. This is needed for the hyf articles themselves.

```

960 \ifx\tubomithyphenations\@thisisundefined
961 \InputIfFileExists{ushyphex.tex}{\} % ok if it’s missing
962 \hyphenation{Del-a-ware Dijk-stra Duane Eijk-hout
963 Flor-i-da Free-BSD Ghost-script
964 Hara-lam-bous Jac-kow-ski Ja-pa-nese Karls-ruhe Lua-Meta
965 Mac-OS Math-Sci-Net
966 Net-BSD Open-BSD Open-Office
967 Pak-i-stan Post-Script Rich-ard Skoup South-all
968 Vieth VM-ware Win-Edt
969 acro-nym acro-nyms analy-sis ap-pen-di-ces ap-pen-dix asyn-chro-nous
970 bib-li-o-graph-i-cal bit-map bit-mapped bit-maps buf-fer buf-fers bool-ean
971 col-umns com-put-able com-put-abil-ity
972 data-base data-bases
973 de-allo-cate de-allo-cates de-allo-cated de-allo-ca-tion
974 de-riv-a-tive de-riv-a-tives de-riv-a-ble der-i-va-tion dis-trib-ut-able
975 es-sence

```

```

976 fall-ing
977 half-way
978 in-fra-struc-ture
979 key-note
980 long-est
981 ma-gyar man-u-script man-u-scripts meta-table meta-tables
982 mne-mon-ic mne-mon-ics mono-space mono-spaced
983 name-space name-spaces
984 off-line over-view
985 pal-ettes par-a-digm par-a-dig-matic par-a-digms
986 pipe-line pipe-lines
987 plug-in plug-ins pres-ent-ly pro-gram-mable
988 re-allo-cate re-allo-cates re-allo-cated re-printed
989 set-ups se-vere-ly spell-ing spell-ings stand-alone strong-est
990 sub-ex-pres-sion sub-tables sur-gery syn-chro-ni-city syn-chro-nous
991 text-height text-length text-width
992 time-stamp time-stamped time-stamps
993 vis-ual vis-ual-ly
994 which-ever white-space white-spaces wide-spread wrap-around
995 }
996 \fi
997 <!!latex>\restorecat\@
998 </common>
999 <*classtail>
1000 \PrelimDrafttrue

```

3.11 Page dimensions, glue, penalties, etc.

```

1001 \textheight 54pc % 648pt = 645.58bp = 8.97in
1002 \textwidth 39pc % 468pt = 466.25bp = 6.48in
1003 \columnsep 1.5pc % 18pt = 17.93bp = .249in
1004 \columnwidth 18.75pc % 225pt = 224.16bp = 3.11in
1005 \hfuzz 1pt
1006 \parindent \normalparindent % 20pt
1007 \parskip \z@ % \@plus\p@
1008 \leftmargini 2em
1009 \leftmarginiv .5em
1010 \leftmarginvi .5em
1011 \oddsidemargin \z@
1012 \evensidemargin \z@
1013 \topmargin -2.5pc % 30pt = 29.89bp = .415in
1014 \headheight 12\p@
1015 \headsep 20\p@
1016 \marginparwidth 48\p@
1017 \marginparsep 10\p@
1018 \partopsep=\z@
1019 \topsep=3\p@\@plus\p@\@minus\p@
1020 \parsep=3\p@\@plus\p@\@minus\p@
1021 \itemsep=\parsep
1022 %
1023 % The width of one column plus gutter (=243pt =242.09bp) is useful sometimes.
1024 \newdimen\tubcolwidthandgutter
1025 \tubcolwidthandgutter=\columnwidth
1026 \advance\tubcolwidthandgutter by \columnsep

```

```

1027 %
1028 % Ordinarily we typeset in two columns, but the onecolumn option
1029 % goes to one. In which case we want to center the text block on an
1030 % 8.5in width, given the default 72.27pt offset with margins of zero.
1031 % We are always in LaTeX's twoside mode because of how we load article,
1032 % and this is a good thing, since we want different headings.
1033 \if@tubtwocolumn \twocolumn \else
1034 \onecolumn
1035 \textwidth=34pc
1036 \oddsidemargin=30.8775pt
1037 \evensidemargin=\oddsidemargin
1038 \fi
1039 %
1040 \newdimen\pagewd \pagewd=\textwidth
1041 \newdimen\trimwd \trimwd=\pagewd
1042 \newdimen\trimlgt \trimlgt=11in
1043 \newdimen\headmargin \headmargin=3.5pc

```

Don't go to a float page so soon. Not all of these are relevant to all articles, but we may as well set them all.

```

1044 \renewcommand{\topfraction}{.9} % don't go to a float page so soon
1045 \renewcommand{\dbltopfraction}{.9}
1046 \renewcommand{\bottomfraction}{.7}
1047 \renewcommand{\textfraction}{.1}
1048 \renewcommand{\floatpagefraction}{.8}
1049 \renewcommand{\dblfloatpagefraction}{.8} % the most common one used

```

3.12 Messing about with the L^AT_EX logo

Barbara Beeton's pleas for L^AT_EX logos that look right in any font shape provoked me to generate the following stuff that is configurable.

Here's the command for the user to define a new version. The arguments are font family, series and shape, and then the two kern values used in placing the raised 'A' of L^AT_EX.

```

1050 \newcommand{\DeclareLaTeXLogo}[5]{\expandafter\def
1051 \csname @LaTeX@#1/#2/#3\endcsname{#{#4}#{#5}}

```

The default values are as used in the source of L^AT_EX itself:

```

1052 \def\@LaTeX@default{.36}{.15}

```

More are defined in the initial version, for bold CM sans (which is used as `\SecTitleFont`), and CM italic medium and bold, and Bitstream Charter (which Nelson Beebe likes to use). Duplicate for Latin Modern.

```

1053 \DeclareLaTeXLogo{cmss}{bx}{n}{.3}{.15}
1054 \DeclareLaTeXLogo{lmss}{bx}{n}{.3}{.15}
1055 %
1056 \DeclareLaTeXLogo{cmr}{m}{it}{.29}{.2}
1057 \DeclareLaTeXLogo{lmr}{m}{it}{.29}{.2}
1058 %
1059 \DeclareLaTeXLogo{cmr}{m}{sl}{.29}{.15}
1060 \DeclareLaTeXLogo{lmr}{m}{sl}{.29}{.15}
1061 %
1062 \DeclareLaTeXLogo{cmr}{bx}{it}{.29}{.2}
1063 \DeclareLaTeXLogo{lmr}{bx}{it}{.29}{.2}

```

```

1064 %
1065 \DeclareLaTeXLogo{cmr}{bx}{sl}{.29}{.2}
1066 \DeclareLaTeXLogo{lmr}{bx}{sl}{.29}{.2}
1067 %
1068 \DeclareLaTeXLogo{bch}{m}{n}{.2}{.08}
1069 \DeclareLaTeXLogo{bch}{m}{it}{.2}{.08}

```

Redefine `\LaTeX` to choose the parameters for the current font, or to use the default value otherwise:

```

1070 \DeclareRobustCommand{\LaTeX}{\expandafter\let\expandafter\reserved@a
1071 \csname @LaTeX@f@family/\f@series/\f@shape\endcsname
1072 \ifx\reserved@a\relax\let\reserved@a@LaTeX@default\fi
1073 \expandafter@LaTeX\reserved@a}

```

Here's the body of what was originally `\LaTeX`, pulled out with its roots dripping onto the smoking ruin of original \LaTeX , and then bits stuck in on the side.

`@LaTeX@default` provides parameters as one finds in the original; other versions are added as needed.

```

1074 \newcommand{\@LaTeX}[2]{%
1075   %\wlog{latex logo family=\f@family/\f@series/\f@shape -> #1, #2.}%
1076   L\kern-#1em
1077   {\sbox\z@ T%
1078     \vbox to\ht0{\hbox{\$m@th$%
1079       \csname S@\f@size\endcsname
1080       \fontsize\sf@size\z@
1081       \math@fontsfalse\selectfont
1082       A}%
1083     \vss}%
1084   }%
1085   \kern-#2em%
1086   \TeX}

```

3.13 Authors, contributors, addresses, signatures

An article may have several authors (of course), so we permit an `\author` command for each of them. The names are then stored in a set of `\csnames` called `\author1`, `\author2`, ... Similarly, there are several `\address<n>` and `\netaddress<n>` and `\PersonalURL<n>` and `\ORCID<n>` commands set up for each article.

Comment: [RF] I would like to make provision for several authors at the same address, but (short of preempting the `*` marker, which it would be nice to retain so as to preserve compatibility with the `plain` style) I'm not sure how one would signal it. [KB] Current kludges for multiple author affiliations in `tb143rishi-xml-first`, `tb140rishi-elsarticle`, `tb128ruckert-hint`, etc.

```

1087 \def\theauthor#1{\csname theauthor#1\endcsname}
1088 \def\theaddress#1{\csname theaddress#1\endcsname}
1089 \def\thenetaddress#1{\csname thenetaddress#1\endcsname}
1090 \def\thePersonalURL#1{\csname thePersonalURL#1\endcsname}
1091 \def\theORCID#1{\csname theORCID#1\endcsname}

```

The standard way of listing authors is to iterate from 1 to `\count@` and to pick the author names as we go.

```

1092 <!latex>\newcount\@tempcnta
1093 \def\@defaultauthorlist{%
1094   \@getauthorlist\@firstofone
1095 }

```

`\@getauthorlist` processes the author list, passing every bit of stuff that needs to be typeset to the macro specified as its argument.

```

1096 \def\@getauthorlist#1{%
1097   \count@\authornumber
1098   \advance\count@ by -2
1099   \@tempcnta0

```

Loop to output the first $n - 2$ of the n authors (the loop does nothing if there are two or fewer authors)

```

1100   \loop
1101     \ifnum\count@>0
1102       \advance\@tempcnta by \@ne
1103       #1{\ignorespaces\theauthor{\number\@tempcnta}\unskip, }%
1104       \advance\count@ by \m@ne
1105   \repeat
1106   \count@\authornumber
1107   \advance\count@ by -\@tempcnta
1108   \ifnum\authornumber>0

```

If there are two or more authors, we output the penultimate author's name here, followed by 'and'

```

1109     \ifnum\count@>1
1110       \count@\authornumber
1111       \advance\count@ by \m@ne
1112       #1{\ignorespaces\theauthor{\number\count@}\unskip\@tubauthorlastsep}%
1113     \fi

```

Finally (if there were any authors at all) output the last author's name:

```

1114     #1{\ignorespaces\theauthor{\number\authornumber}\unskip}
1115   \fi
1116 }
1117 %
1118 \def\@tubauthorlastsep{, }% until 2018, was: "\ and "

```

Signature blocks. The author can (in principle) define a different sort of signature block using `\signature`, though this could well cause the editorial group to have collective kittens (unless it had been discussed in advance...)

```

1119 \def\signature#1{\def\@signature{#1}}
1120 \def\@signature{\@defaultsignature}

```

`\@defaultsignature` loops through all the authors, outputting the details we have about that author, or (if we're in a sub-article) outputs the contributor's name and closes the group opened by `\contributor`. It is (as its name implies) the default body for `\makesignature`

```

1121 \def\@defaultsignature{%
1122   \let\thanks\@gobble
1123   \frenchspacing
1124   %
1125   \ifnum\authornumber<0

```

if $\backslash\text{authornumber} < 0$, we are in a contributor's section

```
1126     \medskip
1127     \signaturemark
1128     \theauthor{\number\authornumber}\
1129     \theaddress{\number\authornumber}\
1130     \allowhyphens
1131     \thenetaddress{\number\authornumber}\
1132     \thePersonalURL{\number\authornumber}\
1133     \theORCID{\number\authornumber}\
```

$\backslash\text{authornumber} \geq 0$, so we are in the body of an ordinary article:

```
1134     \else
1135         \count@=0
1136         \loop
1137             \ifnum\count@<\authornumber
1138                 \medskip
1139                 \advance\count@ by \@ne
1140                 \signaturemark
1141                 \theauthor{\number\count@}\
1142                 \theaddress{\number\count@}\
1143                 {%
1144                     \allowhyphens
1145                     \thenetaddress{\number\count@}\
1146                     \thePersonalURL{\number\count@}\
1147                     \theORCID{\number\count@}\
1148                 }%
1149         \repeat
1150     \fi
1151 }%
1152 }
1153 \newdimen\signaturewidth \signaturewidth=12pc
```

The optional argument to `\makesignature` is useful in some circumstances (e.g., multi-contributor articles)

```
1154 \newcommand{\makesignature}[1][\medskipamount]{%
```

check the value the user has put in `\signaturewidth`: it may be at most 1.5pc short of `\columnwidth`

```
1155     \@tempdima\signaturewidth
1156     \advance\@tempdima 1.5pc
1157     \ifdim \@tempdima>\columnwidth
1158         \signaturewidth \columnwidth
1159         \advance\signaturewidth -1.5pc
1160     \fi
1161     \par
1162     \penalty9000
1163     \vspace{#1}%
1164     \rightline{%
1165         \vbox{\hsize\signaturewidth \ninepoint \raggedright
1166             \parindent \z@ \everypar={\hangindent 1pc }%
1167             \parskip \z@skip
1168             \def\|{\unskip\hfil\break}%
1169             \def\|{\endgraf}%
1170             \def\phone{\rm Phone: }%
1171             \def\tubmultipleaffilauthor{\unskip,\\\hspace*{1em}}%
```

```

1172     \rm\@signature}%
1173   }%
1174   \ifnum\authornumber<0 \endgroup\fi
1175 }
1176 \def\signaturemark{\leavevmode\llap{\$ \diamond \$\enspace}}

```

The idea here is that if multiple authors share affiliation information, we need only typeset the affiliation once. We separate by commas for the `\maketitle`, and put on separate lines, also with commas, in the `\makesignature`.

Similarly, within `\netaddress`, `!tubmultipleaffilnet` separates with a space before and after the comma. (All this per bb.) See `tb122childs-trotter.ltx`, `tb131sojka-czech.ltx` for examples.

```

1177 \def\tubmultipleaffilauthor{\unskip,\ \ignorespaces}%
1178 \def\tubmultipleaffilnet{\unskip\textrm{\,,\ \ignorespaces}}

```

Now all the awful machinery of author definitions. `\authornumber` records the number of authors we have recorded to date.

```

1179 \newcount\authornumber
1180 \authornumber=0

```

`\author` ‘allocates’ another author name (by bumping `\authornumber`) and also sets up the address and `netaddress` for this author to produce a warning and to prevent oddities if they’re invoked. This last assumes that invocation will be in the context of `\signature` (`ltugboat.cls`) or `\maketitle` (`ltugproc.cls`); in both cases, invocation is followed by a line break (tabular line break `\\` in `ltugproc`, `\endgraf` in `\makesignature` in `ltugboat`).

```

1181 \def\author{%
1182   \global\advance\authornumber\@ne
1183   \TB@author
1184 }

```

`\contributor` is for a small part of a multiple-part article; it begins a group that will be ended in `\makesignature`.

```

1185 \def\contributor{%
1186   \begingroup
1187   \authornumber\m@ne
1188   \TB@author
1189 }

```

Both ‘types’ of author fall through here to set up the author name and to initialise author-related things. `\EDITORno*` commands allow the editor to record that there’s good reason for an *address* or *netaddress* not to be there, but nowadays, we consider all address information optional.

```

1190 \def\TB@author#1{%
1191   \expandafter\def\csname theauthor\number\authornumber\endcsname
1192     {\ignorespaces#1\unskip}%
1193   \expandafter\def\csname theaddress\number\authornumber\endcsname
1194     {\TBWarningNL{Address for #1\space missing}\@gobble}%
1195   \expandafter\def\csname thenetaddress\number\authornumber\endcsname
1196     {\TBWarningNL{Net address for #1\space missing}\@gobble}%
1197   \expandafter\let\csname thePersonalURL\number\authornumber\endcsname
1198     \@gobble
1199   \expandafter\let\csname theORCID\number\authornumber\endcsname
1200     \@gobble

```

```

1201 }
1202 \def\EDITORnoaddress{%
1203   \expandafter\let\csname theaddress\number\authornumber\endcsname
1204     \@gobble
1205 }
1206 \def\EDITORnonetaddress{%
1207   \expandafter\let\csname thenetaddress\number\authornumber\endcsname
1208     \@gobble
1209 }

```

\address copies its argument into the \theaddress<n> for this author.

```

1210 \def\address#1{%
1211   \expandafter\def\csname theaddress\number\authornumber\endcsname
1212     {\leavevmode\ignorespaces#1\unskip}}

```

\network is for use within the optional argument of \netaddress; it defines the *name* of the network the user is on.

Comment: I think this is a fantasy, since everyone (in practice, nowadays) quotes an internet address. In principle, there are people who will quote X.400 addresses (but they're few and far between) and I have (during 1995!) seen an address with an UUCP bang-path component on `comp.text.tex`, but *really!*

```

1213 \def\network#1{\def\@network{#1: }}

```

\netaddress begins a group, executes an optional argument (which should not, presumably, contain global commands) and then relays to \@relay@netaddress with both @ and % made active (so that they can be discretionary points in the address). If we're using L^AT_EX 2_ε, we use the default-argument form of \newcommand; otherwise we write it out in all its horribleness.

```

1214 \newcommand{\netaddress}[1][\relax]{%
1215   \begingroup
1216   \def\@network{}%

```

Unfortunately, because of the catcode hackery, we have still to do one stage of relaying within our own code, even if we're using L^AT_EX 2_ε.

```

1217   #1\@sanitize\makespace\ \makeactive\@%
1218   \makeescape! \makebgroup[ \makeegroup]% seems more useful than literals
1219   \makeactive\.\makeactive\%\@relay@netaddress}%

```

\@relay@netaddress finishes the job. It sets \thenetaddress for this author to contain the network name followed by the address. As a result of our kerfuffle above, @ and % are active at the point we're entered. We ensure they're active when \thenetaddress gets expanded, too. (**WOT?!**)

```

1220 \def\@relay@netaddress#1{%
1221   \ProtectNetChars
1222   \expandafter\protected@xdef
1223     \csname thenetaddress\number\authornumber\endcsname
1224     {\protect\leavevmode\textrm{\@network}}%
1225     {\protect\NetAddrChars\net
1226       \ignorespaces#1\unskip}}%
1227 \endgroup
1228 }

```

We `\personalURL` quite differently from `\netaddress`: it is set up to simply call `\tburl`, which makes a live link if possible, and also removes a leading protocol. Thus the argument has to be a true url, not just a random string, but that restriction seems ok to get the benefits. Since `\tburl` handles all the catcoding, no need to do any of that here.

```

1229 \def\personalURL#1{%
1230 % define \cs{thePersonalURL}\meta{n} for author \meta{n}'s \personalURL.
1231 \expandafter\protected@xdef
1232   \csname thePersonalURL\number\authornumber\endcsname{%
1233     \protect\leavevmode
1234     \ignorespaces
1235     \protect\tburl{#1}%
1236     \unskip
1237   }%
1238 }

```

Previously: `\personalURL` was similar to `\netaddress`, apart from (1) the lack of the eccentric optional argument, (2) the activation of `'/'`. This is the old definition, no longer used (left here just for posterity); new definition is just above.

```

1239 %\def\personalURL{\begingroup
1240 % \@sanitize\makespace\ \makeactive\@%
1241 % \makeactive\.\makeactive%\makeactive\/%
1242 % \@personalURL}%
1243 %\def\@personalURL#1{%
1244 % \ProtectNetChars
1245 % % define \cs{thePersonalURL}\meta{n} for author \meta{n}.
1246 % \expandafter\protected@xdef
1247 %   \csname thePersonalURL\number\authornumber\endcsname{%
1248 %     \protect\leavevmode
1249 %     {%
1250 %       \protect\URLchars
1251 %       \net
1252 %       \ignorespaces\protect\tburl{#1}\unskip
1253 %     }%
1254 %   }%
1255 % \endgroup
1256 %}

```

Define the activation mechanism for `'@'`, `'%'`, `'.'` and `'/'`, for use in the above. Note that, since the code has `'%'` active, we have `'*'` as a comment character, which has a tendency to make things look peculiar...

```

1257 {%
1258 \makecomment\*
1259 \makeactive\@
1260 \gdef\netaddrat{\makeactive\@*
1261   \def@\{ \discretionary{\char"40}{\char"40}}
1262 \makeactive\%
1263 \gdef\netaddrpercent{\makeactive%\*
1264   \def%\{ \discretionary{\char"25}{\char"25}}
1265 \makeactive\.\
1266 \gdef\netaddrdot{\makeactive\.\*
1267   \def.\{ \discretionary{\char"2E}{\char"2E}}

```

`\NetAddrChars` is what *we* use (we’re constrained to retain the old interface to this stuff, but it *is* clunky...). Since URLs are a new idea, we are at liberty not to define a separate `\netaddrslash` command, and we only have `\URLchars`.

```
1268 \gdef\NetAddrChars{\netaddrat \netaddrpercent \netaddrdot}
1269 \makeactive\
1270 \gdef\URLchars{*
1271   \NetAddrChars
1272   \makeactive\/*
1273   \def/{\discretionary{\char"2F}{\char"2F}}}
```

`\ProtectNetChars` includes protecting ‘/’, since this does no harm in the case of net addresses (where it’s not going to be active) and we thereby gain by not having yet another csname.

```
1274 \gdef\ProtectNetChars{*
1275   \def@\{\protect@}*
1276   \def%\{\protect%}*
1277   \def.\{\protect.}*
1278   \def/{\protect/}*
1279   }
1280 }
```

$\LaTeX 2_{\epsilon}$ (in its wisdom) suppresses `\DeclareOldFontCommand` when in compatibility mode, so that in that circumstance we need to use a declaration copied from `latex209.def` rather than the way we would normally do the thing (using the command $\LaTeX 2_{\epsilon}$ defines for the job).

```
1281 \if@compatibility
1282   \DeclareRobustCommand{\net}{\normalfont\ttfamily\mathgroup\sympewriter}
1283 \else
1284   \DeclareOldFontCommand{\net}{\ttfamily\upshape\mdseries}{\mathtt}
1285 \fi
1286 \def\authorlist#1{\def\@author{#1}}
1287 \def\@author{\@defaultauthorlist}
```

`\ORCID` inserts ‘ORCID’ and then argument into the `\theORCID<n>` for this author. Also, we want `\small` for this.

```
1288 \def\ORCID#1{%
1289   \expandafter\def\csname theORCID\number\authornumber\endcsname
1290     {\leavevmode \ignorespaces {\SMC ORCID} #1\unskip}}
```

For the online re-publication (as of 2009) by Mathematical Sciences Publishers <http://mathscipub.org>, lots and lots of metadata is needed, much of it redundant with things we already do. They are flexible enough to allow us to specify it in any reasonable way, so let’s make one command `\mspmetavar` which takes two arguments. Example: `\mspmetavar{volumenumber}{30}`. For our purposes, it is just a no-op. And this initiative never came to anything, so it is not used at all.

```
\mspmetavar
1291 \def\mspmetavar#1#2{}
```

3.14 Article title

`\if@articletitle` `\maketitle` takes an optional “*”; if present, the operation is not defining the `\maketitle` title of a paper, merely that of a “business” section (such as the participants at `\@r@maketitle`

a meeting) that has no credited author or other title. In this case, the command flushes out the latest `\sectitle` (or whatever) but does nothing else.

Provide machinery (`\PreTitleDrop` to skip extra space, even one or more full columns, above the top of an article to leave space to paste up a previous article that has finished on the same page. This is a fall back to accommodate the fact that multiple articles cannot be run together easily.

In addition, if the `secondcolstart` option was specified, do `\null\newpage` to move over. This is separate from `\PreTitleDrop`, for no particular reason.

```

1292 \newif\if@articletitle
1293 \def\maketitle{\@ifstar
1294   {\@articletitlefalse\@r@maketitle}%
1295   {\@articletitletrue\@r@maketitle}%
1296 }
1297 \def\@r@maketitle{\par
1298   \iftubsecondcolstart \null\newpage\tubsecondcolstartextra \fi
1299   \ifdim\PreTitleDrop > \z@
1300     \loop
1301     \ifdim \PreTitleDrop > \textheight
1302       \vbox{\vfil\ejct
1303         \advance\PreTitleDrop by -\textheight
1304       \repeat
1305     \vbox to \PreTitleDrop{\vfil}%
1306     \global\PreTitleDrop=\z@
1307   \fi
1308   \begingroup
1309   \setcounter{footnote}{0}
1310   \global\@topnum\z@ % disallow floats above the title
1311   \def\thefootnote{\fnsymbol{footnote}}
1312   \@maketitle
1313   \@thanks
1314   \endgroup
1315   \setcounter{footnote}{0}
1316   \gdef\@thanks{}
1317 }

```

`\title` We redefine the `\title` command, so as to set the `\rhTitle` command at the same time. While we're at it, we redefine it to have optional arguments for use as 'short' versions, thus obviating the need for users to use the `\shortTitle` command.

```

1318 \def\rhTitle{}% avoid error if no author or title
1319 \renewcommand{\title}{\@dblarg\TB@title}
1320 \def\TB@title[#1]#2{\gdef\@title{#2}%
1321   \bgroup
1322     \let\thanks\@gobble
1323     \def\{\{\unskip\space\ignorespaces}%
1324     \protected@xdef\rhTitle{#1}%
1325   \egroup
1326 }

```

`\shortTitle` The `\rh*` commands are versions to be used in the running head of the article.
`\ifshortAuthor` Normally, they are the same things as the author and title of the article, but in the
`\shortAuthor` case that there are confusions therein, the text should provide substitutes, using the `\short*` commands.

```

1327 \def\shortTitle #1{\def\rhTitle{#1}}
1328 \newif\ifshortAuthor
1329 \def\shortAuthor #1{\def\rhAuthor{#1}\shortAuthortrue}

```

3.15 Section titles

The following macros are used to set the large *TUGboat* section heads (e.g. “General Delivery”, “Fonts”, etc.)

Define the distance between articles which are run together:

```

1330 \def\secsep{\vskip 5\baselineskip}

```

Note that `\stbaselineskip` is used in the definition of `\sectitlefont`, in $\text{\LaTeX} 2_{\epsilon}$, so that it has (at least) to be defined before `\sectitlefont` is used (we do the whole job).

```

1331 \newdimen\stbaselineskip      \stbaselineskip=18\p@
1332 \newdimen\stfontheight
1333 \settoheight{\stfontheight}{\sectitlefont 0}

```

Declaring section titles; the conditional `\ifSecTitle` records the occurrence of a `\sectitle` command. If (when) a subsequent `\maketitle` occurs, the section title box will get flushed out; as a result of this, one could in principle have a set of `\sectitle` commands in a semi-fixed steering file, and inclusions of files inserted only as and when papers have appeared. Only the last `\sectitle` will actually be executed.

```

1334 \newif\ifWideSecTitle
1335 \newif\iftubtitlerulefullwidth
1336 \newif\ifSecTitle \SecTitlefalse
1337 \newcommand{\sectitle}{%
1338   \SecTittrue
1339   \@ifstar
1340     {\WideSecTittrue\def\s@ctitle}%
1341     {\WideSecTitfalse\def\s@ctitle}%
1342 }

```

`\PreTitleDrop` records the amount of column-space we need to eject before we start any given paper. It gets zeroed after that ejection has happened.

```

1343 \newdimen\PreTitleDrop \PreTitleDrop=\z@

```

The other parameters used in `\@sectitle`; I don’t think there’s the slightest requirement for them to be registers (since they’re constant values, AFAIK), but converting them to macros would remove the essentially useless functionality of being able to change them using assignment, which I’m not about to struggle with just now...

`\AboveTitleSkip` is glue above the article title; `\BelowTitleSkip` is glue below the authors in the title block. `\strulethickness` is the value to use for `\fboxrule` when setting the title, and for the rule above titles when there is no box.

For `\BelowTitleSkip`, add some stretch and shrink since the first column of an article often needs it; otherwise, a first column of all text will come out underfull. Use `plus2pt` since that is the same as the glue above sections, but `minus1pt` since we’d usually prefer to shrink somewhere else if possible.

```

1344 \newskip\AboveTitleSkip \AboveTitleSkip=12pt

```

```

1345 \newskip\BelowTitleSkip \BelowTitleSkip=8pt plus2pt minus1pt
1346 \newdimen\strulethickness \strulethickness=.6pt

```

`\@sectitle` actually generates the section title (in a rather generous box). It gets called from `\maketitle` under conditional `\ifSecTitle`; by the time `\@sectitle` takes control, we already have `\SecTitlefalse`. This implementation uses L^AT_EX's `\framebox` command, on the grounds that one doesn't keep a dog and bark for oneself...

```

1347 \def\@sectitle #1{%
1348   \par
1349   \penalty-1000

```

If we're setting a wide title, the stuff will be at the top of a page (let alone a column) but inside a box, so that the separator won't be discardable: so don't create the separator in this case.

```

1350   \ifWideSecTitle\else\secsep\fi
1351   {%
1352     \fboxrule\strulethickness
1353     \fboxsep\z@
1354     \noindent\framebox[\hsize]{%
1355       \vbox{%
1356         \raggedcenter
1357         \let\\ \@sectitle@newline
1358         \sectitlefont
1359         \makestrut[2\stfontheight;\z@]%
1360         #1%
1361         \makestrut[\z@;\stfontheight]\endgraf
1362       }%
1363     }%
1364   }%
1365   \nobreak
1366   \vskip\baselineskip
1367 }

```

`\@sectitle@newline` For use inside `\sectitle` as `\\`. Works similarly to `\\` in the “real world”—uses an optional argument

```

1368 \newcommand{\@sectitle@newline}[1][\z@]{%
1369   \ifdim#1>\z@
1370     \makestrut[\z@;#1]%
1371   \fi
1372   \unskip\break
1373 }

```

We need to trigger the making of a section title in some cases where we don't have a section title proper (for example, in material taken over from TTN).

```

1374 \def\@makesectitle{\ifSecTitle
1375   \global\SecTitlefalse
1376   \ifWideSecTitle
1377     \twocolumn[\@sectitle{\s@ctitle}]%
1378     \global\WideSecTitlefalse
1379   \else
1380     \@sectitle{\s@ctitle}%
1381   \fi

```

```

1382 \else
1383   \vskip\AboveTitleSkip
1384   \kern\topskip
1385   \hrule \@height\z@ \@depth\z@ \@width 10\p@
1386   \kern-\topskip
1387   \kern-\strulethickness
1388   \iftubtitlerulefullwidth
1389     \hrule \@height\strulethickness \@depth\z@ width\textwidth
1390   \else
1391     \hrule \@height\strulethickness \@depth\z@
1392   \fi
1393   \kern\medskipamount
1394   \nobreak
1395 \fi
1396 }

```

`\@maketitle` Finally, the body of `\maketitle` itself.

```

1397 \def\@maketitle{%
1398   \@makesectitle
1399   \if@articletitle{%
1400     \nohyphens \interlinepenalty\@M
1401     \setbox0=\hbox{%
1402       \let\thanks\@gobble
1403       \let\=\quad
1404       \let\and=\quad
1405       \ignorespaces\@author}%
1406     {%
1407       \noindent\bf\raggedright\ignorespaces\frenchspacing
1408       \let\BibTeX=\bfBibTeX % else LaTeX Font Warning:
1409                               %      Font shape 'OT1/cmr/bx/sc' undefined
1410       \@title\endgraf
1411     }%
1412     \ifdim \wd0 < 5\p@           % omit if author is null
1413     \else

```

Since we have $\text{\BelowTitleSkip} + 4\text{pt} = \text{\baselineskip}$, we skip by 4pt here. However, an all-text first column still comes out underfull, maybe because of the top rule? Thus `\BelowTitleSkip` is given a little stretch and shrink.

```

1414     \nobreak \vskip 4\p@
1415     {%
1416       \leftskip=\normalparindent
1417       \raggedright
1418       \def\and{\unskip\}%
1419       \noindent\@author\endgraf
1420     }%
1421     \fi
1422     \nobreak
1423     \vskip\BelowTitleSkip
1424 } \fi%
1425 \global\@afterindentfalse
1426 \aftergroup\@afterheading
1427 }

```

Dedications are ragged right, in italics.

```

1428 \newenvironment{dedication}%
1429   {\raggedright\noindent\itshape\ignorespaces}%
1430   {\endgraf\medskip}

The abstract and longabstract environments both use \section*. For
one-column articles (or in ltugproc class), indent the abstract. This is done in
the usual bizarre LATEX way, by treating it as a one-item list with an empty item
marker.

1431 \def\@tubonecolumnabstractstart{%
1432   \list{}{\listparindent\normalparindent
1433     \itemindent\z@ \leftmargin\@tubfullpageindent
1434     \rightmargin\leftmargin \parsep \z@}\item[]\ignorespaces
1435 }
1436 \def\@tubonecolumnabstractfinish{%
1437   \endlist
1438 }
1439 \renewenvironment{abstract}%
1440   {\begin{SafeSection}%
1441     \section*{%
1442       \if@tubtwocolumn\else \hspace*\@tubfullpageindent\fi
1443       Abstract}%
1444     \if@tubtwocolumn\else \@tubonecolumnabstractstart \fi
1445   }%
1446   {\if@tubtwocolumn\else \@tubonecolumnabstractfinish \fi
1447     \end{SafeSection}}
1448 \newenvironment{longabstract}%
1449   {\begin{SafeSection}%
1450     \section*{Abstract}%
1451     \bgroup\small
1452   }%
1453   {\endgraf\egroup
1454     \end{SafeSection}}%
1455   \vspace{.25\baselineskip}
1456   \begin{center}
1457     {$--*--$}
1458   \end{center}
1459   \vspace{.5\baselineskip}}

```

3.16 Section headings

Redefine style of section headings to match plain *TUGboat*. Negative before-skip suppresses following parindent. (So negate the stretch and shrink too).

These macros are called `*head` in the plain styles.

Relaying via `\TB@startsection` detects inappropriate use of `\section*`. Of course, if (when) *we* use it, we need to avoid that relaying; this can be done by `\letting \TB@startsection to \TB@safe@startsection`, within a group.

First the version for use in the default case, when class option `NUMBERSEC` is in effect.

The `\tubsecfmt` macro defines our standard formatting for section titles: ragged right, french spacing, no hyphenation. The `\tubruninsecfmt` macro is the simpler form for run-in section headings (when the `afterskip` is negative), with the `afterskip` glue given by `\tubruninglue`. The `\tubsechook` macro allows overriding the defaults.

```

1460 \def\tubsechook{}
1461 \def\tubsecfmt{\normalsize\bf\raggedright\frenchspacing\nohyphens\tubsechook}
1462 \def\tubruninglue{-1em plus-2\fontdimen3\font minus-\fontdimen4\font}
1463 \def\tubruninsecfmt{\normalsize\bf\tubsechook}
1464 %
1465 \if@numbersec
1466 \def\section{\TB@startsection{%
1467   {section}           % name of counter
1468   {1}                 % level
1469   {0pt}               % indent
1470   {-8pt plus-2pt minus-2pt} % before skip; negative -> \noindent after
1471   {4pt}               % after skip; negative -> hspace for run-in
1472   {\tubsecfmt}}      % style
1473 %
1474 \def\subsection{\TB@startsection{%
1475   {subsection}%
1476   2%
1477   \z@
1478   {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1479   {4\p@}%
1480   {\tubsecfmt}}
1481 %
1482 \def\subsubsection{\TB@startsection{%
1483   {subsubsection}%
1484   3%
1485   \z@
1486   {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1487   {4\p@}%
1488   {\tubsecfmt}}
1489 %
1490 \def\paragraph{\TB@startsection{%
1491   {paragraph}%
1492   4%
1493   \z@
1494   {4\p@ \@plus1\p@ \@minus1\p@}%
1495   {\tubruninglue}
1496   {\tubruninsecfmt}}

```

Now the version if class option nonumber is in effect, i.e., if \if@numbersec is false.

```

1497 \else
1498 \setcounter{secnumdepth}{0}
1499 \def\section{\TB@nolimlabel\tB@startsection{%
1500   {section}% same as numbered
1501   1%
1502   \z@
1503   {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1504   {4\p@}%
1505   {\tubsecfmt}}
1506 %
1507 \def\subsection{\TB@nolimlabel\tB@startsection{%
1508   {subsection}%
1509   2%
1510   \z@

```

```

1511     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1512     {\tubruninglue}
1513     {\tubruninsecfmt}}}}
1514 %
1515 \def\subsubsection{\TB@nolimelabel\TB@startsection{%
1516     {subsubsection}%
1517     3%
1518     \parindent
1519     {-8\p@ \@plus-2\p@ \@minus-2\p@}%
1520     {\tubruninglue}
1521     {\tubruninsecfmt}}}}
1522 \fi

```

`\TB@startsection` used to warn about * versions of sectioning commands when numbering wasn't in effect. But that eventually seemed a useless complaint, since it can be useful to switch back and forth between numbered and unnumbered can be useful during article development. So now `\TB@startsection` is just a synonym for `\@startsection`.

```

1523 \def\TB@startsection#1{\@startsection#1}%

```

`\TB@safe@startsection` is to be used where `\section*` (etc.) appear in places where the request is OK (because it's built in to some macro we don't fiddle with).

```

1524 \def\TB@safe@startsection#1{\@startsection#1}

```

The `SafeSection` environment allows use of *-forms of sectioning environments. It's not documented for the general public: it's intended as an editor's facility.

```

1525 \newenvironment{SafeSection}%
1526     {\let\TB@startsection\TB@safe@startsection}%
1527     {}

```

And now for the exciting sectioning commands that L^AT_EX defines but we don't have a definition for (whatever else, we don't want Lamport's originals, which come out 'like the blare of a bugle in a lullaby'¹).

The three inappropriate ones are subparagraph (indistinguishable from paragraph), and chapter and part. The last seemed almost to be defined in an early version of these macros, since there was a definition of `\l@part`. I've not got down to where that came from (or why). If class option `NONUMBER` is in effect, we also suppress `\paragraph`, since it has no parallel in the plain style.

```

1528 \if@numbersec
1529     \def\subparagraph{\TB@nosection\subparagraph\paragraph}
1530 \else
1531     \def\paragraph{\TB@nosection\paragraph\subsubsection}
1532     \def\subparagraph{\TB@nosection\subparagraph\subsubsection}
1533 \fi
1534 \def\chapter{\TB@nosection\chapter\section}
1535 \def\part{\TB@nosection\part\section}
1536 \def\TB@nosection#1#2{\TBwarning{class does not support \string#1,
1537     \string#2\space used instead}#2}

```

¹Thurber, *The Wonderful O*

`\l@<sectioninglevel>` is for table of contents (of an article). We define new macros to allow easily changing the font used for toc entries (for *TUGboat*, we usually want roman, not bold), and the space between entries. Nelson Beebe and Frank Mittelbach's articles often have toc's (and few others). Also turn off microtype protrusion after

Contents

, or leaders get messed up.

```

1538 \def\TBtocsectionfont{\normalfont}
1539 \newskip\TBtocsectionspace \TBtocsectionspace=1.0ex\@plus\p@
1540 %|#1| is both the section number and title, as in
1541 % |{\numberline {1}Introduction}|.
1542 %|#2| is the page number.
1543 %
1544 % Per Ulrike, the hook calls are for tagging, introduced with the
1545 % June 2023 \LaTeX.
1546 % qqq need to also do subsections like tb137carlisle to avoid hyphenation
1547 \def\l@section#1#2{%
1548 \addpenalty{\@secpenalty}%
1549 \addvspace{\TBtocsectionspace}%
1550 \@tempdima 1.5em
1551 \begingroup
1552 \parindent\z@
1553 \rightskip=0pt plus2em
1554 \parfillskip\z@
1555 \hyphenpenalty=10000
1556 \TBtocsectionfont
1557 \leavevmode
1558 \advance\leftskip by \@tempdima % space between section number and text
1559 \hskip-\leftskip
1560 %
1561 \ifx\UseHookWithArguments\undefined\else % hook before number and text
1562 \UseHookWithArguments{contentsline/text/before}{4}
1563 {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1564 \fi
1565 %
1566 % don't worry if this cs is not defined, hence the \csname.
1567 % If it doesn't exist, we just typeset #1 as text.
1568 \csname contentsline@text@1@format\endcsname
1569 {#1% number and title
1570 \unskip % avoid extra space just in case
1571 \csname pdffakespace\endcsname % fake space if pdftex
1572 ~% ensure at least a word space between text and page number
1573 }
1574 %
1575 \ifx\UseHookWithArguments\undefined\else % hook after number and text
1576 \UseHookWithArguments{contentsline/text/after}{4}
1577 {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1578 \fi
1579 \nobreak\hfil
1580 \nobreak

```

```

1581 % page number
1582 \hb@xt@\@pnumwidth{\hfil
1583 \ifx\UseHookWithArguments\undefined\else
1584 \UseHookWithArguments{contentsline/page/before}{4}
1585 {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1586 \fi
1587 \totypesetpageno{#2}%
1588 \ifx\UseHookWithArguments\undefined\else
1589 \UseHookWithArguments{contentsline/page/after}{4}
1590 {\toclevel@part}{#1}{#2}{\@contentsline@destination}%
1591 \fi
1592 }\par
1593 \endgroup}

```

3.17 Appendices

Appendices (which are really just another sort of section heading) raise a problem: if the sections are unnumbered, we plainly need to restore the section numbering, which in turn allows labelling of section numbers again (`\TBnoIimelabel` happens before the `\refstepcounter`, so its effects get lost . . . what a clever piece of design that was). So here we go:

```

1594 \renewcommand{\appendix}{\par
1595 \renewcommand{\thesection}{\@Alph@c@section}%
1596 \setcounter{section}{0}%
1597 \if@numbersec
1598 \else
1599 \setcounter{secnumdepth}{1}%
1600 \fi

```

Now: is this the start of an appendix environment? This can be detected by looking at `\@currenvir`; if we are, we need to relay to `\@appendix@env` to pick up the optional argument.

```

1601 \def\@tempa{appendix}
1602 \ifx\@tempa\@currenvir
1603 \expandafter\@appendix@env
1604 \fi
1605 }

```

Here we deal with `\begin{appendix}[\langle app-name \rangle]`

```

1606 \newcommand{\app@prefix@section}{ }
1607 \newcommand{\@appendix@env}[1][Appendix]{%
1608 \renewcommand{\@seccntformat}[1]{\csname app@prefix@##1\endcsname
1609 \csname the##1\endcsname\quad}%
1610 \renewcommand{\app@prefix@section}{#1 }%
1611 }

```

Ending an appendix environment is pretty trivial. . .

```

1612 \let\endappendix\relax

```

3.18 References

If the sections aren't numbered, the natural tendency of the author to cross-reference (which, after all, is one of the things L^AT_EX is for ever being advertised as being good at) can cause headaches.

The following command is used by each of the sectioning commands to make a following `\ref` command bloop at the author. Even if the author then ignores the complaint, the poor old editor may find the offending `\label` rather more easily.

(Note that macro name is to be read as “*noli me label*” (I don’t know the mediæval Latin for ‘label’).

Comment To come (perhaps): detection of the act of labelling, and an analogue of `\ifG@refundefined` for this sort of label

```

1613 \def\TB@nolimelabel{%
1614   \def\@currentlabel{%
1615     \protect\TBWarning{%
1616       Invalid reference to numbered label on page \thepage
1617       \MessageBreak made%
1618     }%
1619     \textbf{?!?}%
1620   }%
1621 }

```

3.19 Title references

This is a first cut at a mechanism for referencing by the title of a section; it employs the delightfully simple idea Sebastian Rahtz has in the `nameref` package (which is part of `hyperref`). As it stands, it lacks some of the bells and whistles of the original, but they could be added; this is merely proof-of-concept.

The name label comes from the moveable bit of the section argument; we subvert the `\@sect` and `\@ssect` commands (the latter deals with starred section commands) to grab the relevant argument.

As of the June 2023 L^AT_EX (or somewhat earlier, but this is good enough), there are hooks that allow us to avoid redefinig `\@sect` and `\@ssect`.

```

1622 \@ifl@t@r\fmtversion{2023-06-01}{-}{%
1623   \let\TB@@sect\@sect
1624   \let\TB@@ssect\@ssect
1625   \def\@sect#1#2#3#4#5#6[#7]#8{%
1626     \def\@currentlabelname{#7}%
1627     \TB@@sect{#1}{#2}{#3}{#4}{#5}{#6} [{#7}] {#8}%
1628   }
1629   \def\@ssect#1#2#3#4#5{%
1630     \def\@currentlabelname{#5}%
1631     \TB@@ssect{#1}{#2}{#3}{#4}{#5}%
1632   }
1633 } % LaTeX earlier than June 2023

```

We output the name label as a second `\newlabel` command in the `.aux` file. That way, packages such as `varioref` which also read the `.aux` information can still work. So we redefine `\label` to first call the standard L^AT_EX `\label` and then write our named label as `nr<label>`.

Similarly, we only need this with pre-June 2023 L^AT_EX. With more recent LaTeX, define `currentlabelname` via hooks.

```

1634 \@ifl@t@r\fmtversion{2023-06-01}{-}{%
1635   \RequirePackage{getttitlestring}

```

```

1636 \AddToHookWithArguments{cmd/@sect/before}{%
1637   \GetTitleString{#7}%
1638   \let\@currentlabelname\GetTitleStringResult}%
1639 \AddToHookWithArguments{cmd/@ssect/before}{%
1640   \GetTitleString{#5}%
1641   \let\@currentlabelname\GetTitleStringResult}%
1642 }{% else older latex:
1643   \let\@savelatexlabel=\label % so save original LaTeX command
1644   %
1645   \def\label#1{%
1646     \@savelatexlabel{#1}%
1647     \@bsphack
1648     \if@filesw
1649       \protected@write\@auxout{%
1650         {\string\newlabel{nr@#1}{\@currentlabel}{\@currentlabelname}}}%
1651     \fi
1652     \@esphack}
1653   % in case there are no sectioning commands:
1654   \let\@currentlabelname\@empty
1655 }

```

Getting named references is then just like getting page references in the L^AT_EX kernel (see `ltxref.dtx`).

The above was written by RobinF decades ago; the macros in *TUGboat* were never changed. Meanwhile, the `\nameref` in `hyperref` has changed many times, and we want to use its version if available. So we provide our `\nameref` `\AtBeginDocument`, so as not to overwrite any previous version. Until May 2022, `hyperref` silently overwrote an existing definition, that is, *TUGboat*'s. But now it is no longer silent.

It seems that all the internal definitions above do not cause problems, so just let them alone.

```

1656 \AtBeginDocument{%
1657   \@ifl@t@r\fmtversion{2023-06-01}%
1658   { % after June 2023, LaTeX stores the label name; use that.
1659     \long\def\@thirdoffive#1#2#3#4#5{#3}
1660     \providecommand\nameref[1]{%
1661       \expandafter\@setref
1662       \csname r@#1\endcsname\@thirdoffive{#1}}%
1663   }
1664   { % for earlier versions, still avoid overwriting \nameref per above.
1665     % but if not otherwise defined, use the "nr" label defined by our \label.
1666     \providecommand\nameref[1]{%
1667       \expandafter\@setref
1668       \csname r@nr@#1\endcsname\@secondoftwo{#1}}%
1669   }%
1670 }

```

3.20 Float captions

By analogy with what we've just done to section titles and the like, we now do our best to discourage hyphenation within captions. We also typeset them in `\small` (actually `\tubcaptionfonts`).

First, let's define a dimension by which we will indent full-page captions. We'll also use this to indent abstracts in proceedings style.

`\@tubfullpageindent`

```
1671 \newdimen\@tubfullpageindent
1672 \@tubfullpageindent = \if@tubtwocolumn 4.875pc \else 3.875pc \fi
```

One-line captions are normally centered, but sometimes we want to set them flush left for consistency with other nearby figures.

`\tubcaptionleftglue`

```
1673 \let\tubcaptionleftglue=\hfil
```

For *TUGboat*, we like 9pt captions to help differentiate from the main text. Make a macro so we can easily override.

```
1674 \def\tubcaptionfonts{\small}%
```

Ok, here is `\@makecaption`.

```
1675 \long\def\@makecaption#1#2{%
1676   \vskip\abovecaptionskip
1677   % try in an hbox:
1678   \sbox\@tempboxa{\tubcaptionfonts \frenchspacing \tubmakecaptionbox{#1}{#2}}%
1679   \ifdim \wd\@tempboxa > \hsize
1680     {% caption doesn't fit on one line; set as a paragraph.
1681       \tubcaptionfonts \raggedright \hyphenpenalty=\@M \parindent=1em
1682       % indent full-width captions {figure*}, but not single-column {figure}.
1683       \ifdim\hsize = \textwidth
1684         \leftskip=\@tubfullpageindent \rightskip=\leftskip
1685         \advance\rightskip by 0pt plus2em % increase acceptable raggedness
1686       \fi
1687       \noindent \tubmakecaptionbox{#1}{#2}\par}%
1688   \else
1689     % fits on one line; use the hbox, usually centered. Do not reset its glue.
1690     \global\@minipagefalse
1691     \hb@xt@\hsize{\tubcaptionleftglue\box\@tempboxa\hfil}%
1692   \fi
1693   \vskip\belowcaptionskip}
```

Also use `\tubcaptionfonts` for the caption labels, and put the label (e.g., "Figure 1") in bold. Use a macro so we can override.

```
1694 \def\tubmakecaptionbox#1#2{{\tubcaptionfonts\textbf{#1}}:\ #2}%
```

We used to switch the labels into bold this way, but it's better to do it as part of `\@makecaption` since then it will apply to other floating types, such as those created by the `newfloat` package. (E.g., `tb142duck-pylatex`.)

```
\def\fnun@figure{{\tubcaptionfonts \bf \figurename\nobreakspace\thefigure}}
```

```
\def\fnun@table{{\tubcaptionfonts \bf \tablename\nobreakspace\thetable}}
```

If the `listings` package is being used, bold for its label too; this `\def` is too early, but maybe `listings` will play nice later.

```
1695 \def\lstlistingnamestyle{\bfseries}
```

Let's reduce the default space above captions a bit, and give it some flexibility. The default is 10pt, which seems too much.

```
1696 \setlength\abovecaptionskip{3pt plus1pt minus1pt}
```

Let's also reduce the space between floats, and between floats and text. Strangely, it seems to be these that count, rather than `\dbl...`, at least sometimes.

```
1697 \setlength\floatsep { 9pt plus3pt minus2pt} % default 12pt plus2pt minus2pt
1698 \setlength\textfloatsep{12pt plus4pt minus3pt} % default 20pt plus2pt minus4pt
```

We want to allow more floats at the top/bottom/everywhere on a page; all depends on their content.

```
1699 \setcounter{bottomnumber}{2} % default 1
1700 \setcounter{topnumber}{4} % default 2
1701 \setcounter{totalnumber}{6} % default 3
```

3.21 Size changing commands

Apart from their 'normal' effects, these commands change the glue around displays.

```
1702 \renewcommand{\normalsize}{%
1703   \@setfontsize\normalsize\@xpt\@xiipt
1704   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1705   \belowdisplayskip=\abovedisplayskip
1706   \abovedisplayshortskip=\z@\@plus 3\p@
1707   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1708 }
1709
1710 \renewcommand{\small}{%
1711   \@setfontsize\small\@ixpt\@xipt
1712   \abovedisplayskip=2.5\p@\@plus 2.5\p@\@minus\p@
1713   \belowdisplayskip=\abovedisplayskip
1714   \abovedisplayshortskip=\z@\@plus 2\p@
1715   \belowdisplayshortskip=\p@\@plus 2\p@\@minus\p@
1716 }
1717
1718 \renewcommand{\footnotesize}{%
1719   \@setfontsize\footnotesize\@viiipt\@viipt{9.5}%
1720   \abovedisplayskip=3\p@\@plus 3\p@\@minus\p@
1721   \belowdisplayskip=\abovedisplayskip
1722   \abovedisplayshortskip=\z@\@plus 3\p@
1723   \belowdisplayshortskip=\p@\@plus 3\p@\@minus\p@
1724 }
```

3.22 Lists and other text inclusions

```
1725 \def\@listi{%
1726   \leftmargin\leftmarginii\parsep=\p@\@plus\p@\@minus\p@
1727   \itemsep=\parsep
1728   \listparindent=1em
1729 }
1730
1731 \def\@listii{%
1732   \leftmargin\leftmarginii
1733   \labelwidth=\leftmarginii \advance\labelwidth-\labelsep
1734   \topsep=2\p@\@plus\p@\@minus\p@ % space between first item and preceding
1735   \parsep=\p@\@plus\p@\@minus\p@
```

```

1736 \itemsep=\parsep           % space between successive items
1737 \listparindent=1em        % indentation of subsequent paragraphs
1738 }
1739
1740 \def\@listiii{%
1741   \leftmargin=\leftmarginiii
1742   \labelwidth=\leftmarginiii \advance\labelwidth-\labelsep
1743   \topsep=\p@\@plus\p@\@minus\p@
1744   \parsep=\z@
1745   \itemsep=\topsep
1746   \listparindent=1em
1747 }
1748 \def\quote{\list{}{\rightmargin.5\leftmargin}\item[]}

```

From Dominik Wujastyk's font article. First paragraph of a quotation will not be indented, and right margin is decreased for narrow columns.

```

1749 \renewcommand{\quotation}{\list{}{\listparindent 1.5em
1750   \rightmargin.5\leftmargin\parsep \z@\@plus\p@}\item[]}

```

The `compactitemize`, `compactenumerate`, and `compactdescription` environments, without space between the items.

```

1751 \newenvironment{compactitemize}%
1752   {\begin{itemize}%
1753     \setlength{\itemsep}{0pt}%
1754     \setlength{\parskip}{0pt}%
1755     \setlength{\parsep}{0pt}%
1756   }%
1757   {\end{itemize}}
1758 %
1759 \newenvironment{compactenumerate}%
1760   {\begin{enumerate}%
1761     \setlength{\itemsep}{0pt}%
1762     \setlength{\parskip}{0pt}%
1763     \setlength{\parsep}{0pt}%
1764   }%
1765   {\end{enumerate}}
1766 %
1767 \newenvironment{compactdescription}%
1768   {\begin{description}%
1769     \setlength{\itemsep}{0pt}%
1770     \setlength{\parskip}{0pt}%
1771     \setlength{\parsep}{0pt}%
1772   }%
1773   {\end{description}}
1774 %

```

3.23 Some fun with verbatim

The plain *TUGboat* style allows [optional] arguments to its `\verbatim` command. This will allow the author (or editor) to specify a range of exciting features; we would definitely like the numbered verbatim style for code (that facility is reserved for a future version of this package), and the present little bit of code imposes the `\ruled` option on the built-in verbatim environment. (Note that we don't yet deal with `verbatim*`, which is in itself an option to the plain original.)

We start by saving various bits and bobs whose operation we're going to subvert.

```
1775 %\let\@TB@verbatim\@verbatim
1776 \let\@TBverbatim\verbatim
1777 \let\@TBendverbatim\endverbatim
```

Impose an optional argument on the environment.

We start the macro with `\par` to avoid a common error: if the optional argument is `\small`, and the document has no blank line before the verbatim block, we don't want that preceding paragraph to be set with `\small`'s line spacing.

(`\obeylines` added to prevent the `\futurelet` from propagating into the body of the verbatim, thus causing lines that start with odd characters (like `#` or even `\`) to behave peculiarly.)

```
1778 \def\verbatim{\par\obeylines
1779   \futurelet\reserved@a\@switch@sqbverbatim}
1780 %
1781 \def\@switch@sqbverbatim{\ifx\reserved@a[%]
1782   \expandafter\@sqbverbatim\else
1783   \def\reserved@b{\@sqbverbatim[]}\expandafter\reserved@b\fi}
1784 %
1785 \def\@sqbverbatim[#1]{%
```

The optional argument consists entirely of functions that modify the appearance of the environment. Following the `plain` style, we define the functions we can execute in the optional argument here.

The command `\ruled` tells us that there should be rules above and below the verbatim block.

```
1786 \def\ruled{\let\if@ruled\iftrue}%
```

The command `\makevmeta` says to make `!i...i` do `<...>`.

```
1787 \def\makevmeta{\makeescape! \let\<\tubverb@meta \tubverb@clearliglist}
1788 \def\tubverb@meta##1>{\meta{##1}}
```

The default verbatim defines “`i`,- as active characters to stop ligatures; remove `i` from the list so we get normal characters. Just hope that the CM `i` ligatures aren't used.

```
1789 \def\tubverb@clearliglist{%
1790   \def\verbatim@nolig@list{\do\'\do\,\do\'\do\-\}%
1791 }
```

Then we execute the arguments we've got, and relay to a (hacked) copy of the \LaTeX verbatim environment.

```
1792 #1\@TBverbatim}
```

The built-in environment itself relays to `\@verbatim`, which we've subverted to impose our views on appearance.

```
1793 \def\@verbatim{%
```

First, we deal with `\ruled`:

```
1794   \if@ruled\trivlist\item\hrule\kern5\p@\nobreak\fi
```

Now, the code out of the original `verbatim` environment:

```

1795 \trivlist \item\relax
1796 \if@minipage\else\vskip\parskip\fi
1797 \leftskip\@totalleftmargin\rightskip\z@skip
1798 \parindent\z@\parfillskip\@flushglue\parskip\z@skip
1799 \@@par
1800 \@tempwafalse
1801 \def\par{%
1802   \if@tempswa
1803     \leavevmode \null \@@par\penalty\interlinepenalty
1804   \else
1805     \@tempwatrue
1806     \ifhmode\@@par\penalty\interlinepenalty\fi
1807   \fi}%
1808 \obeylines \verbatim@font \@noligs
1809 \let\do\@makeoother \dospecials
1810 \everypar \expandafter{\the\everypar \unpenalty}%
1811 }% end |\@sqbverbatim|

```

To end the environment, we do everything in reverse order: relay via the copy we made of `\endverbatim`, and then finish off the option changes (again `\ruled` only, so far).

```

1812 \def\endverbatim{\@TBendverbatim
1813   \if@ruled\kern5\p@\hrule\endtrivlist\fi}

```

Define the `\if` used by the `\ruled` option:

```

1814 \let\if@ruled\iffalse

```

Finally, if `microtype` is loaded, we want it to be deactivated in `verbatim` blocks. It often manipulates a leading `\` rather too much, thus messing with the visible fixed-width alignment.

```

1815 \AtBeginDocument{%
1816   \ifpackageloaded{microtype}
1817     {\g@addto@macro\@verbatim{\microtypesetup{activate=false}}}{ }
1818 }

```

3.24 Bibliography

This is more or less copied verbatim from Glenn Paulley's *chicago.sty* (gnpaulle@bluebox.uwaterloo.ca). It produces an author-year citation style bibliography, using output from the `BIBTEX` style file based on that by Patrick Daly. It needs extra macros beyond those in standard `LATEX` to function properly. The form of the `bibitem` entries is:

```

\bibitem[\protect\citeauthoryear{Jones, Baker, and Smith}
  {Jones et al.}{1990}{key}...

```

The available citation commands are:

`\cite{key}` → (Jones, Baker, and Smith 1990)
`\citeA{key}` → (Jones, Baker, and Smith)
`\citeNP{key}` → Jones, Baker, and Smith 1990
`\citeANP{key}` → Jones, Baker, and Smith
`\citeN{key}` → Jones, Baker, and Smith (1990)
`\shortcite` → (Jones et al. 1990)
`\citeyear` → (1990)
`\citeyearNP` → 1990

First of all (after checking that we're to use Harvard citation at all), make a copy of L^AT_EX's default citation mechanism.

```

1819 \if@Harvardcite
1820 \let\@internalcite\cite

```

Normal forms.

```

1821 \def\cite{\def\@citeseppen{-1000}%
1822   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1823   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1824 \def\citeNP{\def\@citeseppen{-1000}%
1825   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1826   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1827 \def\citeN{\def\@citeseppen{-1000}%
1828   \def\@cite##1##2{##1\if@tempswa , ##2\else{}}\fi}}%
1829   \def\citeauthoryear##1##2##3{##1 (##3)\@citedata}
1830 \def\citeA{\def\@citeseppen{-1000}%
1831   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1832   \def\citeauthoryear##1##2##3{##1}\@internalcite}
1833 \def\citeANP{\def\@citeseppen{-1000}%
1834   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1835   \def\citeauthoryear##1##2##3{##1}\@internalcite}

```

Abbreviated forms (using *et al.*)

```

1836 \def\shortcite{\def\@citeseppen{-1000}%
1837   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1838   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1839 \def\shortciteNP{\def\@citeseppen{-1000}%
1840   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1841   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1842 \def\shortciteN{\def\@citeseppen{-1000}%
1843   \def\@cite##1##2{##1\if@tempswa , ##2\else{}}\fi}}%
1844   \def\citeauthoryear##1##2##3{##2 (##3)\@citedata}
1845 \def\shortciteA{\def\@citeseppen{-1000}%
1846   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1847   \def\citeauthoryear##1##2##3{##2}\@internalcite}
1848 \def\shortciteANP{\def\@citeseppen{-1000}%
1849   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1850   \def\citeauthoryear##1##2##3{##2}\@internalcite}

```

When just the year is needed:

```

1851 \def\citeyear{\def\@citeseppen{-1000}%
1852   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1853   \def\citeauthoryear##1##2##3{##3}\@citedata}
1854 \def\citeyearNP{\def\@citeseppen{-1000}%
1855   \def\@cite##1##2{##1\if@tempswa , ##2\fi}}%
1856   \def\citeauthoryear##1##2##3{##3}\@citedata}

```

Place commas in-between citations in the same `\citeyear`, `\citeyearNP`, `\citeN`, or `\shortciteN` command. Use something like `\citeN{ref1,ref2,ref3}` and `\citeN{ref4}` for a list.

```

1857 \def\@citedata{%
1858     \ifnextchar [{\@tempwatrue\@citedatax}%
1859                 {\@tempwafalse\@citedatax[]}%
1860 }
1861
1862 \def\@citedatax[#1]#2{%
1863 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1864 \def\@citea{\@cite{\@for\@citeb:=#2\do%
1865     {\@citea\def\@citea{, }\@ifundefined% by Young
1866         {b@\@citeb}{\bf ?}%
1867         \@warning{Citation ‘\@citeb’ on page \thepage \space undefined}}}%
1868 {\csname b@\@citeb\endcsname}}{#1}}%

```

Don't box citations, separate with ; and a space; Make the penalty between citations negative: a good place to break.

```

1869 \def\@citex[#1]#2{%
1870 \if@filesw\immediate\write\@auxout{\string\citation{#2}}\fi%
1871 \def\@citea{\@cite{\@for\@citeb:=#2\do%
1872     {\@citea\def\@citea{; }\@ifundefined% by Young
1873         {b@\@citeb}{\bf ?}%
1874         \@warning{Citation ‘\@citeb’ on page \thepage \space undefined}}}%
1875 {\csname b@\@citeb\endcsname}}{#1}}%

```

No labels in the bibliography.

```
1876 \def\@biblabel#1{}
```

Set length of hanging indentation for bibliography entries.

```

1877 \newlength{\bibhang}
1878 \setlength{\bibhang}{2em}

```

Indent second and subsequent lines of bibliographic entries. Stolen from openbib.sty: `\newblock` is set to `{}`.

```

1879 \newdimen\bibindent
1880 \bibindent=1.5em
1881 \@ifundefined{refname}%
1882     {\newcommand{\refname}{References}}%
1883     {}%

```

For safety's sake, suppress the `\TB@startsection` warnings here...

```

1884 \def\thebibliography#1{% for harvardcite
1885     \let\TB@startsection\TB@safe@startsection
1886     \section*{\refname
1887         \@mkboth{\uppercase{\refname}}{\uppercase{\refname}}}%
1888     \list{[\arabic{enumi}]}{%
1889         \labelwidth\z@ \labelsep\z@
1890         \leftmargin\bibindent
1891         \itemindent -\bibindent
1892         \listparindent \itemindent
1893         \parsep \z@
1894         \usecounter{enumi}}%
1895     \def\newblock{}%
1896     \BibJustification

```

```

1897 \frenchspacing % more than just period, see comments below
1898 }

```

etal Other bibliography odds and ends.

```

\bibentry 1899 \def\etal{et\,al.\@}
1900 \def\bibentry{%
1901 \smallskip
1902 \hangindent=\parindent
1903 \hangafter=1
1904 \noindent
1905 \sloppy
1906 \clubpenalty500 \widowpenalty500
1907 \frenchspacing
1908 }

```

\bibliography Changes made to accommodate TUB file naming conventions

```

\bibliographystyle 1909 \def\bibliography#1{%
1910 \if@filesw
1911 \immediate\write\@auxout{\string\bibdata{\@tubfilename{#1}}}%
1912 \fi
1913 \@input{\jobname.bbl}%
1914 }
1915 \def\bibliographystyle#1{%
1916 \if@filesw
1917 \immediate\write\@auxout{\string\bibstyle{\@tubfilename{#1}}}%
1918 \fi
1919 }

```

\thebibliography If the user has asked to use L^AT_EX's default citation mechanism (using the rawcite option), we still need to patch \sloppy to support justification of the body of the bibliography. We kludge in a call to \frenchspacing too, since there is no reason to change only period's \sfcode, as L^AT_EX's original thebibliography (in classes.dtx) does.

By the way, amsgen.sty changes \frenchspacing to set the \sfcode of punctuation character to successively decreasing integers ending at 1001 for comma. Thus its 1006 for period is overwritten to 1000 for thebibliography, making amsgen's \@addpunct ineffective. Don't know what that means in practice, if anything.

Back here, we also play with *The T_EXbook*@startsection since we always have, though that is no longer needed.

```

1920 \else % not harvardcite
1921 \let\TB@origthebibliography\thebibliography
1922 \def\thebibliography{%
1923 \let\TB@startsection\TB@safe@startsection
1924 \def\sloppy{\frenchspacing\BibJustification}%
1925 \TB@origthebibliography} % latex's thebibliography now reads args.
1926 \fi % not harvardcite

```

\BibJustification \BibJustification defines how the bibliography is to be justified. The Lamport \SetBibJustification default is “\sloppy”, but we find some sort of ragged right setting is almost always preferred, so (as of 2025) make that the default. (\BibJustification is nevertheless reset to its default value at the start of a paper.)

```

1927 \let\TB@sloppy\sloppy
1928 \let\BibJustification\raggedright
1929 \newcommand{\SetBibJustification}[1]{%
1930   \renewcommand{\BibJustification}{#1}%
1931 }
1932 \ResetCommands\expandafter{\the\ResetCommands
1933   \let\BibJustification\TB@sloppy
1934 }

```

3.25 Registration marks

We no longer use these since Cadmus does not want them.

```

1935 \def\HorzR@gisterRule{\vrule \@height 0.2\p@ \@depth\z@ \@width 0.5in }
1936 \def\DownShortR@gisterRule{\vrule \@height 0.2\p@ \@depth 1pc \@width 0.2\p@ }
1937 \def\UpShortR@gisterRule{\vrule \@height 1pc \@depth\z@ \@width 0.2\p@ }

```

“T” marks centered on top and bottom edges of paper

```

1938 \def\ttopregister{\dlap{%
1939   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1940     \HorzR@gisterRule \hfil \HorzR@gisterRule}%
1941   \hb@xt@\trimwd{\hfil \DownShortR@gisterRule \hfil}}%
1942 \def\tbotregister{\ulap{%
1943   \hb@xt@\trimwd{\hfil \UpShortR@gisterRule \hfil}%
1944   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1945     \HorzR@gisterRule \hfil \HorzR@gisterRule}}%
1946 \def\topregister{\ttopregister}
1947 \def\botregister{\tbotregister}

```

3.26 Running headers and footers

```

1948 \def\rtitlex{\def\texttub##1{{\normalsize\textrm{##1}}}\TUB, \volx}

```

registration marks; these are temporarily inserted in the running head

```

1949 \def\MakeRegistrationMarks{}
1950 \def\UseTrimMarks{%
1951   \def\MakeRegistrationMarks{%
1952     \ulap{\rlap{%
1953       \vbox{\dlap{\vbox to\trimlgt{\vfil\botregister}}}%
1954       \topregister\vskip \headmargin \vskip 10\p@}}}%
1955 }
1956 % put issue identification and page number in header.
1957 \def\@oddhead{\MakeRegistrationMarks
1958   \frenchspacing
1959   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1960   \rtitlex\quad \midrtitle\hfil
1961   \rtitlenexttopage\quad\tubtypesetpageno{\thepage}}
1962 \def\@evenhead{\MakeRegistrationMarks
1963   \frenchspacing
1964   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1965   \tubtypesetpageno{\thepage}\quad\rtitlenexttopage
1966   \hfil\midrtitle \quad\rtitlex}
1967
1968 % Put a ? into the page number in the headers in all but a final run, so
1969 % people aren't tempted to cite it.

```

```

1970 %
1971 \newcommand{\tubtypesetpageno}[1]{%
1972   \ifnum #1>900
1973     % in CM, numerals are exactly .5em.
1974     %
1975     % The \texorpdfstring avoids the usual hyperref warning:
1976     %   Token not allowed in a PDF string ... removing '@ifnextchar'
1977     \texorpdfstring{\makebox[.5em][l]{\small ?}}{?}%
1978     %
1979     \textsl{\@arabic{\numexpr#1-900\relax}}% assuming e-tex
1980   \else
1981     \@arabic{#1}%
1982   \fi
1983 }
1984 %
1985 % The above changes the page number in the headers and tocs. It does not
1986 % change the page number in cross-references, which will still show up
1987 % as '901' instead of '?1'. In order to do that, we'd have to redefine
1988 % |\thepage| (https://tex.stackexchange.com/questions/687258).
1989 %
1990 % The problem is that |\thepage| is not expected to contain typesetting
1991 % commands like |\makebox| and |\textsl|, but to expand to the simple
1992 % page number (in whatever form). For example, when redefining
1993 % |\thepage| to the above, terminal warnings then look like:
1994 % |LaTeX Warning: Citation 'foo' on page \makebox [.5em][l]{...|
1995 % losing the actual page number.
1996 %
1997 % So apparently there is no way to add the ? correctly in all contexts.
1998 %
1999 % BTW, such a custom page number format would also break makeindex,
2000 % etc., but for that we could provide the information. Per Ulrike:
2001 %\usepackage{index}
2002 %\newcommand\specialthepage{\interval{\value{page}-900}}
2003 %\newindex[specialthepage]*{default}{idx}{ind}{Index}
2004
2005 % can be used to reset the font, e.g., tb98kuester.
2006 \def\tubheadhook{}
2007
2008 % in case the official \author is too verbose for the footline.
2009 % (the \shortauthor / \rhAuthor stuff is only enabled for proceedings, fix!)
2010 \def\tubrunningauthor{\@author}
2011
2012 % put title and author in footer.
2013 \def@tubrunningfull{%
2014   \def@oddfoot{% make line break commands produce a normal space
2015     \def\{\unskip\ ignorespaces}%
2016     \let\newline=\%
2017     \tubtypesetdoi
2018     \frenchspacing\hfil\rhTitle}
2019   \def@evenfoot{%
2020     \let\thanks@gobble
2021     \tubtypesetdoi
2022     \frenchspacing\tubrunningauthor\hfil}
2023 }

```

```

2024
2025 % empty footer.
2026 \def\tubrunningminimal{%
2027   \def\@oddfoot{\tubtypesetdoi\hfil}%
2028   \def\@evenfoot{\tubtypesetdoi\hfil}%
2029 }
2030
2031 % empty footer and header.
2032 \def\tubrunningoff{%
2033   \@tubrunningminimal
2034   \def\@oddhead{\hfil}%
2035   \def\@evenhead{\hfil}%
2036 }
2037
2038 \def\ps@headings{}
2039 \pagestyle{headings}

```

Typeset the doi. The format we decided on looks like: <https://doi.org/10.47397/tb/41-3/tb129> where the last element is the `\jobname`.

We put this below the footline. The footer definitions above specify that it is always called, even if the regular footer is empty.

If the article started in the second column (option `[secondcolstart]`), we manually move the doi over.

We do not check for validity of `\volno`, `\issno`, `\jobname`. For testing, etc., seems simpler to just typeset what we've got. Other scripts will verify consistency.

```

2040 %
2041 \def\tubdoiprefix{10.47397/tb} % the number crossref assigned us
2042 \def\tubabovedoi{} % fudge spacing or whatever.
2043 %
2044 \def\tubtypesetdoi{%
2045   \iftubomitdoioption\else % do if not explicit omission ...
2046     \ifnum\volno>0 % and if being run for production ...
2047       \iftubfinaloption % and if [final], even if pageno>900
2048         \vbox to Opt{% don't impact normal layout
2049           \edef\thedoi{% but make url invalid if >900
2050             \ifnum\count0>900 example.org%
2051               \else doi.org\fi
2052             /\tubdoiprefix/\volno-\issno/\jobname}%
2053           \scriptsize
2054           \vskip\baselineskip
2055           \tubabovedoi
2056           \iftubsecondcolstart \moveright \tubcolwidthhandgutter \fi
2057           \rlap{\expandafter\tbsurl\expandafter{\thedoi}}}%
2058           \vss
2059         }%
2060       \fi % tubfinaloption
2061     \fi % volno>0
2062   \fi % !tubomitdoioption
2063   \global\let\tubtypesetdoi\@empty % only do it once, no matter what.
2064 }
2065 %
2066 %

```

3.27 Output routine

Modified to alter `\brokenpenalty` across columns

Comment We're playing with fire here: for example, `\outputdblcol` has changed in L^AT_EX 2_ε for 1995/06/01 (with the use of `\hb@xt@`). *This* time there's no semantic change, but...

```
2067 \def\@outputdblcol{\if@firstcolumn \global\@firstcolumnfalse
2068   \global\setbox\@leftcolumn\box\@outputbox
2069   \global\brokenpenalty10000
2070 \else \global\@firstcolumntrue
2071   \global\brokenpenalty100
2072   \setbox\@outputbox\vbox{\hb@xt@\textwidth{\hb@xt@\columnwidth
2073     {\box\@leftcolumn \hfil}\hfil \vrule \@width\columnseprule\hfil
2074     \hb@xt@\columnwidth{\box\@outputbox \hfil}}}\@combinedblfloats
2075   \outputpage \begingroup \@dblfloatplacement \@startdblcolumn
2076   \@whiles\if@fcolmade \fi{\@outputpage\@startdblcolumn}\endgroup
2077   \fi}
```

3.28 Font-related definitions and machinery

These are mostly for compatibility with plain `tugboat.sty`

```
2078 \newif\ifFirstPar      \FirstParfalse
2079 \def\smc{\sc}
2080 \def\ninepoint{\small}
2081 </classtail>
```

`\SMC` *isn't* small caps—Barbara Beeton says she thinks of it as “big small caps”. She says (modulo capitalisation of things...):

For the things it's used for, regular small caps are not appropriate—they're too small. Real small caps are appropriate for author names (and are so used in continental bibliographies), section headings, running heads, and, on occasion, words to which some emphasis is to be given. `\SMC` was designed to be used for acronyms and all-caps abbreviations, which look terrible in small caps, but nearly as bad in all caps in the regular text size. The principle of using “one size smaller” than the text size is similar to the design of caps in German—where they are smaller relative to lowercase than are caps in fonts intended for English, to improve the appearance of regular text in which caps are used at the heads of all nouns, not just at the beginnings of sentences.

We define this in terms of the memory of the size currently selected that's maintained in `\@currsiz`: if the user does something silly re. selecting fonts, we'll get the wrong results. The following code is adapted from an old version of `relsize.sty` by Donald Arseneau and Matt Swift. The order of examination of `\@currsiz` is to do the most common cases first.

This is (I think) not a robust command since it's a conditional. <https://tex.stackexchange.com/questions/>

```
2082 <*common>
2083 \newcommand{\SMC}{%
2084   \ifx\@currsiz\normalsize\small\else
2085   \ifx\@currsiz\small\footnotesize\else
```

```

2086 \ifx\@currsize\footnotesize\scriptsize\else
2087 \ifx\@currsize\large\normalsize\else
2088 \ifx\@currsize\Large\large\else
2089 \ifx\@currsize\LARGE\Large\else
2090 \ifx\@currsize\scriptsize\tiny\else
2091 \ifx\@currsize\tiny\tiny\else
2092 \ifx\@currsize\huge\LARGE\else
2093 \ifx\@currsize\Huge\huge\else
2094 \small\SMC@unknown@warning
2095 \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
2096 }
2097 \newcommand{\SMC@unknown@warning}{\TBWarning{\string\SMC: nonstandard
2098 text font size command -- using \string\small}}
2099 \newcommand{\textSMC}[1]{\SMC #1}

```

The `\acro` command uses `\SMC` as it was originally intended. Since the argument never contains lowercase letters (except in error), it resets the spacefactor to 1000 after inserting the text.

```

2100 \newcommand{\acro}[1]{\textSMC{#1}\@}
2101 \</common>

```

3.29 Editor's notes and other footnotes

`\EdNote` allows the editor to enter notes in the text of a paper. If the command is given something that appears like an optional argument, the entire text of the note is placed in square brackets. (Yes, it really is!)

```

2102 <*classtail>
2103 \def\xEdNote{\EdNoteFont Editor's note:\enspace }
2104 \def\EdNote{\@ifnextchar[%]
2105   {%
2106     \ifvmode
2107       \smallskip\noindent\let\@EdNote@\@EdNote@v
2108     \else
2109       \unskip\quad\def\@EdNote@\{\unskip\quad}%
2110     \fi
2111     \@EdNote
2112   }%
2113   \xEdNote
2114 }
2115 \long\def\@EdNote[#1]{%
2116   [\thinspace\xEdNote\ignorespaces
2117   #1%
2118   \unskip\thinspace]%
2119   \@EdNote@
2120 }
2121 \def\@EdNote@v{\par\smallskip}

```

Macros for Mittelbach's self-documenting style

```

2122 \def\SelfDocumenting{%
2123   \setlength\textwidth{31pc}
2124   \onecolumn
2125   \parindent \z@
2126   \parskip 2\p@\@plus\p@\@minus\p@
2127   \oddsidemargin 8pc

```

```

2128 \evensidemargin 8pc
2129 \marginparwidth 8pc
2130 \toks@\expandafter{\@oddhead}%
2131 \xdef\@oddhead{\hss\hb@xt@\pagewd{\the\toks@}}%
2132 \toks@\expandafter{\@evenhead}%
2133 \xdef\@evenhead{\hss\hb@xt@\pagewd{\the\toks@}}%
2134 \def\ps@titlepage{}%
2135 }
2136 \def\ps@titlepage{}
2137
2138 % let's have a little space after the footnote marker.
2139 % also a little more space for the marker itself.
2140 \long\def\@makefnmark#1{%
2141   \parindent 1em
2142   \noindent
2143   \hb@xt@2em{}%
2144   \llap{\@makefnmark}\null
2145   $\mskip5mu$ space after marker
2146   #1% footnote text
2147 }
2148 %
2149 % For comparison, here is the original definition from classes.dtx:
2150 % \long\def\@makefnmark#1{%
2151 %   \parindent 1em
2152 %   \noindent
2153 %   \hb@xt@2em{\hss\@makefnmark}#1}
2154

```

`\tubraggedfoot` To get a ragged-right footnote.

```
2155 \newcommand{\tubraggedfoot}{\rightskip=\raggedskip plus\raggedstretch\relax}
```

`\creditfootnote` Sometimes we want the label “Editor’s Note:”, sometimes not.

```

\supportfootnote 2156 \def\creditfootnote{\nomarkfootnote\xEdNote}
2157 \def\supportfootnote{\nomarkfootnote\relax}

```

General macro `\nomarkfootnote` to make a footnote without a reference mark, etc. #1 is an extra command to insert, #2 the user’s text.

```

2158 \gdef\nomarkfootnote#1#2{\begingroup
2159   \def\thefootnote{}%
2160   % no period, please, also no fnmark. Also no hyperref warning.
2161   \def\@makefnmark##1{##1}%
2162   \def\Hy@Warning##1{}%
2163   \footnotetext{\noindent #1#2}%
2164 \endgroup}

```

3.30 Initialization

If we’re going to use Harvard-style bibliographies, we set up the bibliography style: the user doesn’t get any choice. (Not recommended.)

```

2165 \if@Harvardcite
2166   \AtBeginDocument{%
2167     \bibliographystyle{ltugbib}%
2168   }

```

```

2169 \fi
2170 \authornumber\z@
2171 \let\@signature\@defaultsignature
2172 \InputIfFileExists{ltugboat.cfg}
2173   {\TBInfo{Loading ltugboat.cfg configuration information}}
2174   {}
2175 \</classtail>

```

4 L^AT_EX 2_ε proceedings class (no longer used)

`\@tugclass` Make the code of `ltugboat.cls` (when we load it) say it's really us:

```

2176 \<*tugproccls>
2177 \def\@tugclass{ltugproc}

```

`\if@proc@sober` TUG'96 proceedings switched to more sober headings still; so the `tug95` option
`\if@proc@numerable` establishes the original state. In the absence of any other guidance, we use the '96
for TUG'97 proceedings, but also allow numbering of sections.

```

2178 \newif\if@proc@sober
2179 \newif\if@proc@numerable
2180 \DeclareOption{tug95}{%
2181   \@proc@soberfalse
2182   \@proc@numerablefalse
2183 }
2184 \DeclareOption{tug96}{%
2185   \@proc@sobertrue
2186   \@proc@numerablefalse
2187 }
2188 \DeclareOption{tug97}{%
2189   \@proc@sobertrue
2190   \@proc@numerabletrue
2191 }
2192 \DeclareOption{tug2002}{%
2193   \@proc@sobertrue
2194   \@proc@numerabletrue
2195   \let\if@proc@numbersec\iftrue
2196   \PassOptionsToClass{numbersec}{ltugboat}%
2197 }

```

`\if@proc@numbersec` If we're in a class that allows section numbering (the actual check occurs after
`\ProcessOptions`, we can have the following:

```

2198 \DeclareOption{numbersec}{\let\if@proc@numbersec\iftrue
2199   \PassOptionsToClass{numbersec}{ltugboat}%
2200 }
2201 \DeclareOption{nonumber}{\let\if@proc@numbersec\iffalse
2202   \PassOptionsToClass{nonumber}{ltugboat}%
2203 }

```

`\ifTB@title` If we have a paper for which we want to create a detached title, with an editor's
note, and then set the paper separately, we use option `notitle`.

```

2204 \newif\ifTB@title
2205 \DeclareOption{title}{\TB@titletrue}
2206 \DeclareOption{notitle}{\TB@titlefalse
2207   \AtBeginDocument{\stepcounter{page}}}

```

There are these people who seem to think `tugproc` is an option as well as a class...

```
2208 \DeclareOption{tugproc}{%
2209   \ClassWarning{\@tugclass}{Option \CurrentOption\space ignored}%
2210 }
```

All other options are simply passed to `ltugboat`...

```
2211 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{ltugboat}}
```

If there's a `tugproc` defaults file, input it now: it may tell us which year we're to perform for... (Note: this code *is* millenium-proof. It's not terribly classy for years beyond 2069, but then I'm not going to be around then—this will be an interesting task for a future `TeXie`...)

```
2212 \InputIfFileExists{\@tugclass.cfg}{\ClassInfo{ltugproc}}%
2213   {Loading ltugproc.cfg configuration information}}{}
2214 \@ifundefined{TUGprocExtraOptions}%
2215   {\let\TUGprocExtraOptions\empty}%
2216   {\edef\TUGprocExtraOptions{\TUGprocExtraOptions}}
```

`\tugProcYear` Now work out what year it is

```
2217 \@tempcnta\year
2218 \ifnum\@tempcnta<2000
2219   \divide\@tempcnta by100
2220   \multiply\@tempcnta by100
2221   \advance\@tempcnta-\year
2222   \@tempcnta-\@tempcnta
2223 \fi
```

And use that for calculating a year for us to use.

```
2224 \edef\@tempa{\noexpand\providecommand\noexpand\tugProcYear
2225   {\ifnum10>\@tempcnta0\fi\the\@tempcnta}}
2226 \@tempa
2227 \ClassInfo{ltugproc}{Class believes year is
2228   \expandafter\ifnum\tugProcYear<2000 19\fi\tugProcYear
2229   \@gobble}
```

Check that this is a “sensible year” (one for which we have a class option defined). If not, make it a ‘suitable’ year, in particular, one that allows numbering sections.

```
2230 \expandafter\ifx\curname ds@tug\tugProcYear\endcsname\relax
2231   \def\tugProcYear{2002}\fi
```

Now execute the default ‘year’ option and get on with processing. Note that this command gets ignored if the configuration file specifies a silly year.

```
2232 \ExecuteOptions{tug\tugProcYear,title\TUGprocExtraOptions}
2233 \ProcessOptions
2234 \if@proc@numbersec
2235   \if@proc@numerable
2236   \else
2237     \ClassWarning{\@tugclass}{This year's proceedings may not have
2238       numbered sections}%
2239   \fi
2240 \fi
```

Call `ltugboat`, adding whichever section numbering option is appropriate

```
2241 \LoadClass[\if@proc@numbersec numbersec\else nonumber\fi]{ltugboat}
```

4.1 Proceedings titles

`\maketitle` There's no provision for 'section titles' in proceedings issues, as there are in *TUGboat* proper. Note the tedious L^AT_EX bug-avoidance in the `\@TB@test@document` macro.

```
2242 \def\maketitle{%
2243   \begingroup

      first, a bit of flim-flam to generate an initial value for \rhAuthor (unless the
      user's already given one with a \shortAuthor comand).

2244   \ifshortAuthor\else
2245     \global\let\rhAuthor\@empty
2246     \def@gaddto@rhAuthor##1{%
2247       \begingroup
2248         \toks@\expandafter{\rhAuthor}%
2249         \let\thanks\@gobble
2250         \protected@xdef\rhAuthor{\the\toks@##1}%
2251       \endgroup
2252     }%
2253     \@getauthorlist@gaddto@rhAuthor
2254   \fi

      now, the real business of setting the title

2255   \ifTB@title
2256     \setcounter{footnote}{0}%
2257     \renewcommand{\thefootnote}{\fnsymbol\c@footnote}%
2258     \if@tubtwocolumn
2259       \twocolumn[\@maketitle]%
2260     \else
2261       \onecolumn
2262       \global\@topnum\z@
2263       \@maketitle
2264     \fi
2265     \@thanks
2266     \thispagestyle{TBproctitle}
2267   \fi
2268 \endgroup
2269 \TB@madetitletrue
2270 }
2271 \newif\ifTB@madetitle \TB@madetitlefalse
```

`\@TB@test@document` `\@TB@test@document` checks to see, at entry to `\maketitle`, if we've had `\begin{document}`. See L^AT_EX bug report latex/2212, submitted by Robin Fairbairns, for details.

```
2272 \def\@TB@test@document{%
2273   \edef\@tempa{\the\everypar}
2274   \def \@tempb{\@nodocument}
2275   \ifx \@tempa\@tempb
2276     \@nodocument
2277   \fi
2278 }
```

```

\AUTHORfont Define the fonts for titles and things
\TITLEfont 2279 \def\AUTHORfont {\large\rmfamily\mdseries\upshape}
\addressfont 2280 \def\TITLEfont {\Large\rmfamily\mdseries\upshape}
\netaddrfont 2281 \def\addressfont{\small\rmfamily\mdseries\upshape}
2282 \def\netaddrfont{\small\ttfamily\mdseries\upshape}

\aboveauthorskip Some changeable skips to permit variability in page layout depending on the par-
\belowauthorskip ticular paper's page breaks.
\belowabstractskip 2283 \newskip\aboveauthorskip \aboveauthorskip=18\p@ \@plus4\p@
2284 \newskip\belowauthorskip \belowauthorskip=\aboveauthorskip
2285 \newskip\belowabstractskip \belowabstractskip=14\p@ \@plus3\p@ \@minus2\p@

\@maketitle The body of \maketitle
2286 \def\@maketitle{%
2287   {\parskip\z@
2288     \frenchspacing
2289     \TITLEfont\raggedright\noindent\@title\par
2290     \count@=0
2291     \loop
2292     \ifnum\count@<\authornumber
2293       \vskip\aboveauthorskip
2294       \advance\count@\@ne
2295       {\AUTHORfont\theauthor{\number\count@}\endgraf}%
2296       \addressfont\theaddress{\number\count@}\endgraf
2297       {%
2298         \allowhyphens
2299         \hangindent1.5pc
2300         \netaddrfont\thenetaddress{\number\count@}\endgraf
2301         \hangindent1.5pc
2302         \thePersonalURL{\number\count@}\endgraf
2303       }%
2304     \repeat
2305   \vskip\belowauthorskip}%
2306 \if@abstract
2307   \centerline{\bfseries Abstract}%
2308   \vskip.5\baselineskip\rmfamily
2309   \@tubonecolumnabstractstart
2310   \the\abstract@toks
2311   \@tubonecolumnabstractfinish
2312   \global\@ignoretrue
2313 \fi
2314 \vskip\belowabstractskip
2315 \global\@afterindentfalse\aftergroup\@afterheading
2316 }

abstract (env.) Save the contents of the abstract environment in the token register \abstract@toks.
\if@abstract We need to do this, as otherwise it may get 'typeset' (previously, it got put in a
\abstract@toks box) before \begin{document}, and experiments prove that this means our shiny
new \SMC doesn't work in this situation.

If you need to understand the ins and outs of this code, look at the place I
lifted it from: tabularx.dtx (in the tools bundle). The whole thing pivots on
having stored the name of the 'abstract' environment in \@abstract@
2317 \newtoks\abstract@toks \abstract@toks{}
```

```

2318 \let\if@abstract\iffalse
2319 \def\abstract{%
    we now warn unsuspecting users who provide an abstract environment after
the \maketitle that would typeset it...
2320 \ifTB@madetitle
2321 \TBWarning{abstract environment after \string\maketitle}
2322 \fi
2323 \def\@abstract@{abstract}%
2324 \ifx\@currenvir\@abstract@
2325 \else
2326 \TBError{\string\abstract\space is illegal:%
2327 \MessageBreak
2328 use \string\begin{\@abstract@} instead}%
2329 {\@abstract@\space may only be used as an environment}
2330 \fi
2331 \global\let\if@abstract\iftrue
2332 {\ifnum0='}\fi
2333 \@abstract@getbody}
2334 \let\endabstract\relax
    \@abstract@getbody gets chunks of the body (up to the next occurrence of
\end) and appends them to \abstract@toks. It then uses \@abstract@findend
to detect whether this \end is followed by {abstract}
2335 \long\def\@abstract@getbody#1\end{%
2336 \global\abstract@toks\expandafter{\the\abstract@toks#1}%
2337 \@abstract@findend}

```

Here we've got to \end in the body of the abstract. \@abstract@findend takes the 'argument' of the \end do its argument.

```

2338 \def\@abstract@findend#1{%
2339 \def\@tempa{#1}%

```

If we've found an 'end' to match the 'begin' that we started with, we're done with gathering the abstract up; otherwise we stuff the end itself into the token register and carry on.

```

2340 \ifx\@tempa\@abstract@
2341 \expandafter\@abstract@end
2342 \else

```

It's not \end{abstract}—check that it's not \end{document} either (which signifies that the author's forgotten about ending the abstract)

```

2343 \def\@tempb{document}%
2344 \ifx\@tempa\@tempb
2345 \TBError{\string\begin{\@abstract@}
2346 ended by \string\end{\@tempb}}%
2347 {You've forgotten \string\end{\@abstract@}}
2348 \else
2349 \global\abstract@toks\expandafter{\the\abstract@toks\end{#1}}%
2350 \expandafter\expandafter\expandafter\@abstract@getbody
2351 \fi
2352 \fi}

```

In our case, the action at the 'proper' \end is a lot simpler than what appears in `tabularx.dtx` ... don't be surprised!

```

2353 \def\@abstract@end{\ifnum0='{\fi}%
2354 \expandafter\end\expandafter{\@abstract@}}

\makesignature \makesignature is improper in proceedings, so we replace it with a warning (and
a no-op otherwise)
2355 \renewcommand{\makesignature}{\TBWarning
2356         {\string\makesignature\space is invalid in proceedings issues}}

\ps@TBproctitle Now we define the running heads in terms of the \rh* commands.
\ps@TBproc 2357 \def\ps@TBproctitle{\let\@oddhead\MakeRegistrationMarks
\dopagecommands 2358 \let\@evenhead\MakeRegistrationMarks
\setpagecommands 2359 \TB@definefeet
\TB@definefeet 2360 }
\pfoottext 2361 \def\ps@TBproc{%
\rfoottext 2362 \def\@oddhead{\MakeRegistrationMarks
2363     {%
2364         \hfil
2365         \def\{\unskip\ \ignorespaces}%
2366         \rmfamily\rhTitle
2367     }%
2368 }%
2369 \def\@evenhead{\MakeRegistrationMarks
2370     {%
2371         \def\{\unskip\ \ignorespaces}%
2372         \rmfamily\rhAuthor
2373         \hfil
2374     }%
2375 }%
2376 \TB@definefeet
2377 }
2378
2379 \advance\footskip8\p@ % for deeper running feet
2380
2381 \def\dopagecommands{\csname @@pagecommands\number\c@page\endcsname}
2382 \def\setpagecommands#1#2{\expandafter\def\csname @@pagecommands#1\endcsname
2383     {#2}}
2384 \def\TB@definefeet{%
2385     \def\@oddfoot{\ifpreprint\pfoottext\hfil\Now\hfil\thepage
2386         \else\rfoottext\hfil\thepage\fi\dopagecommands}%
2387     \def\@evenfoot{\ifpreprint\thepage\hfil\Now\hfil\pfoottext
2388         \else\thepage\hfil\rfoottext\fi\dopagecommands}%
2389 }
2390
2391 \def\pfoottext{\smc Preprint}:
2392     Proceedings of the \volyr{} Annual Meeting}
2393 \def\rfoottext{\normalfont\TUB, \volx\Dash
2394     {Proceedings of the \volyr{} Annual Meeting}}
2395
2396 \pagestyle{TBproc}

```

4.2 Section divisions

Neither sections nor subsections are numbered by default in the proceedings style: note that this puts a degree of stress on authors' natural tendency to reference

sections, which is a matter that needs attention. The class option NUMBERSEC once again numbers the sections (and noticeably changes the layout).

```
2397 \if@proc@numbersec
2398 \else
2399 \setcounter{secnumdepth}{0}
2400 \fi
```

Otherwise, the `\section` command is pretty straightforward. However, the `\subsection` and `\subsubsection` are run-in, and we have to remember to have negative stretch (and shrink if we should in future choose to have one) on the `\afterskip` parameter of `\@startsection`, since the whole skip is going to end up getting negated. We use `\TB@startsection` to detect inappropriate forms.

```
2401 \if@proc@numbersec
2402 \else
2403 \if@proc@sober
2404 \def\section
2405     {\TB@nolimelabel
2406     \TB@startsection{section}%
2407     1%
2408     \z@%
2409     {-8\p@\@plus-2\p@\@minus-2\p@}%
2410     {6\p@}%
2411     {\normalsize\bfseries\raggedright}}}
2412 \else
2413 \def\section
2414     {\TB@nolimelabel
2415     \TB@startsection{section}%
2416     1%
2417     \z@%
2418     {-8\p@\@plus-2\p@\@minus-2\p@}%
2419     {6\p@}%
2420     {\large\bfseries\raggedright}}}
2421 \fi
2422 \def\subsection
2423     {\TB@nolimelabel
2424     \TB@startsection{subsection}%
2425     2%
2426     \z@%
2427     {6\p@\@plus 2\p@\@minus2\p@}%
2428     {-5\p@\@plus -\fontdimen3\the\font}%
2429     {\normalsize\bfseries}}}
2430 \def\subsubsection
2431     {\TB@nolimelabel
2432     \TB@startsection{subsubsection}%
2433     3%
2434     \parindent%
2435     \z@%
2436     {-5\p@\@plus -\fontdimen3\the\font}%
2437     {\normalsize\bfseries}}}
2438 \fi
2439 </ltugproccls>
```

5 Plain T_EX styles

```
2440 ⟨*tugboatsty⟩
2441 % err...
2442 ⟨/tugboatsty⟩
2443 ⟨*tugprocsty⟩
2444 % err...
2445 ⟨/tugprocsty⟩
```

6 The L^AT_EX 2_ε compatibility-mode style files

```
2446 ⟨*ltugboatsty⟩
2447 \@obsoletefile{ltugboat.cls}{ltugboat.sty}
2448 \LoadClass{ltugboat}
2449 ⟨/ltugboatsty⟩
2450 ⟨*ltugprocsty⟩
2451 \@obsoletefile{ltugproc.cls}{ltugproc.sty}
2452 \LoadClass{ltugproc}
2453 ⟨/ltugprocsty⟩
```